

Southwest OH 2 WK #10
week ending Jan. 8, 2009

Friends in Southwest Ohio.

OHEJ allies like you made it clear in the EJ forums we held in 2007 that public notice in places people actually see/read is important. OHEJ allies have taken these citizen recommendations to OEPA, and are working for reform in this area. Stay tuned!

The information below is provided in order for you to see what is going on in Southwest Ohio. You will notice that some things have been highlighted to draw your attention to these items.

Key, (PN)=In Public Notice. (NPN)=Not in Public Notice. Yellow= Application for new permit received
Green=Pending draft action, pay close attention. RED=Final permit no chance for public comment.

Factory Farms NONE LISTED LAST WEEK

OEPA WEB PAGE ON THE CLYDE CHILDHOOD CANCER STUDY.

<http://www.epa.state.oh.us/pic/clyde.html>

Public meetings for Jan. 2009

January 2009		
Noble Road Landfill, Inc. Proposed vertical expansion Solid Waste Permit-to-Install Richland County News Release	Tuesday January 13, 2009 6:30 p.m.	Butler Township Hall 8256 Olivesburg Fitchville Rd. Greenwich, Ohio
Great Plains Exploration Draft air permit Painesville Township Proposed asphalt and concrete crushing plant News Release	Thursday January 15, 2009 6:30 p.m.	Morley Library Meeting Room A 184 Phelps Street Painesville, Ohio
MIBA Sinter US, LLC Proposed wastewater discharge permits McConnelsville Discharge to the Muskingum River News Release	Wednesday January 21, 2009 6:30 p.m.	Morgan County Library 358 East Main Street McConnelsville, Ohio

***** THIS HAS STILL NOT SHOWED UP OF OEPA WEB PAGE BUT I RECEIVED THE FOLLOWING IN AN E-MAIL FROM OEPA. THIS IS FOR THE MAHONING RENEWABLE POWER PLANT. (BURNING TRASH AND C&DD)

When: Tuesday, February 17, 2009, 6:30 p.m.
Where: McKinley High School, 225 East Indiana Avenue,
Sebring, OH 44672 (Mahoning County)

Note that a recent public notice in the Alliance Review had a hearing for the air permit scheduled for 01-28-09. Due to a glitch with public notices in the Youngstown Vindicator around the holidays, this has now been rescheduled to February 17. The DAPC engineer in our district office is Tim Fischer. I believe that the public comment period for this air permit is currently underway.

Note that Ohio EPA's Division of Solid and Infectious Waste Management (DSIWM) has not received a solid waste permit application for this proposed waste-to-energy facility, but one is expected soon.

**** **NOT LISTED UNDER MEETING ON OEPA WEB PAGE.** Public Hearing -Mahoning Renewable (trash and C&DD burning power plant) near Alliance, OH, Jan. 28, 2009, 6:30 PM, McKinley High School, 225 East Indiana Ave. Sebring, OH 44672. THIS PERMIT IS SO BAD IT DOESN'T EVEN TELL US THE SIZE OF THE FACILITY. OEPA ISSUED THE DRAFT PERMIT WHILE STILL REVIEWING THE AIR TOXIC MODELING AND RISK ASSESSMENT. MAHONING COUNTY IS ATTAINMENT FOR ALL POLLUTANTS. THIS IS LIKELY TO CHANGE IN JANUARY SO THE COMPANY HAS REQUESTED THE PERMIT BE ISSUED BEFORE THE COUNTY IS PLACED IN NON-ATTAINMENT.

PRESS RELEASES:

- January 5, 2009--Ohio EPA Accepting Comments Regarding Water Discharge For Proposed New Quarry
- January 6, 2009--Gallia County to Abate Unsanitary Conditions: Sewers, Treatment System Will Better Protect Public Health, Environment
- January 8, 2009--Public Invited to Comment on Proposed Campus for Ashtabula School District
- January 8, 2009--Ohio EPA, ODNR Work Together to Improve Drinking Water at Salt Fork State Park
- January 9, 2009--Ohio EPA Approves Plan to Address Contamination at Marathon Oil Site in Sandusky County

AUGLAIZE COUNTY: NOTHING THIS WEEK.

CHAMPAIGN COUNTY:

DRAFT NPDES PERMIT RENEWAL - SUBJECT TO REVISION

NP ORBIS CORP DIV OF MENASHU CORP *
200 ELM ST
URBANA OH ACTION DATE : 01/13/2009
RECEIVING WATERS: DUGAN RUN
FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 1IN00093*HD

CLARK COUNTY:

DRAFT NPDES PERMIT - SUBJECT TO REVISION

NP C & S TREE RECYCLING SERVICE
2551 DAYTON AVE
SPRINGFIELD OH ACTION DATE : 01/13/2009
RECEIVING WATERS: TRIBUTARY OF MAD RIVER
FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 1PX00056*AD

FINAL ISSUANCE OF ADMINISTRATIVE MODIFICATION TO PERMIT-TO-INSTALL AND OPERATE

NP YAMADA NORTH AMERICA INC
9000 COLUMBUS-CINCINNATI RD.
SOUTH CHARLESTON OH ACTION DATE : 01/05/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0103940
ADMINISTRATIVE MODIFICATION OF PTI 08-04549 TO CORRECT OPERATIONAL PARAMETERS OF WET SCRUBBER TO MANUFACTURERS RECOMMENDATIONS.

DARKE COUNTY: NOTHING THIS WEEK.

GREENE COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL

NP GREENE COUNTY SANITARY ENGINEER
ON INDIAN RIPPLE WEST OF FACTORY RD
BEAVER CREEK TWP. OH ACTION DATE : 01/05/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 671542

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. SANITARY SEWERS FOR RIVER RESERVE SUBDIVISION, PHASE 2 ON INDIAN RIPPLE ROAD

NP GREENE COUNTY SANITARY ENGINEER
ON INDIAN RIPPLE WEST OF FACTORY RD
BEAVER CREEK TWP. OH ACTION DATE : 01/05/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 671546
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. SANITARY SEWER FOR RIVER RESERVE SUBDIVISION, PHASE 1 ON
INDIAN RIPPLE ROAD

MADISON COUNTY:

APPLICATION RECEIVED FOR AIR PERMIT
NP SHOWA ALUMINUM CORPORATION OF AMERICA
10500 O'DAY-HARRISON RD
MT. STERLING OH ACTION DATE : 01/06/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0036459
EXISTING COPIER TUBE PRODUCTION LINES WILL BE REMOVED AND REPLACED
WITH A NEW PRODUCTION LINE. PRODUCTION CAPACITY WILL BE INCREASED
FROM APPROXIMATELY 800,000 TUBES PER MONTH TO APPROXIMATELY
2,000,000 TUBES PER MONTH. THE EXISTING TRICHLOROETHYLENE DEGREASER
WILL BE REMOVED AND REPLACED WITH AN AQUEOUS DEGREASING SYSTEM.

MARION COUNTY: NOTHING THIS WEEK.

MERCER COUNTY: NOTHNG THIS WEEK.

MIAMI COUNTY:

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE
NP ERNST ENTERPRISES INC. - TROY
805 SOUTH UNION ST
TROY OH ACTION DATE : 01/05/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104144
GENERAL PERMIT TO INSTALL FOR TRUCK MIX READY MIX CONCRETE BATCH
PLANT SUPERSEDING GPTI 08-04869 ISSUED 8/2/2007.

MONTGOMERY COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL
NP NORWOOD TOOL COMPANY PLANT 4
2177 WINNERS CIRCLE
DAYTON OH ACTION DATE : 01/05/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 688467
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. RELOCATION OF NORWOOD TOOL COMPANYS INDUSTRIAL WASTEWATER
PRETREATMENT SYSTEM FROM 2101 WINNERS CIRCLE TO 2177 WINNERS CIRCLE

FINAL ISSUANCE OF REGISTRATION CERTIFICATE AS A GENERATOR OF
INFECTIOUS WASTE

NP BROOKHAVEN NURSING & CARE CENTER
ONE COUNTRY LN
BROOKVILLE OH ACTION DATE : 01/06/2009
FACILITY DESCRIPTION: INFECTIOUS WASTE
IDENTIFICATION NO. : 57-G-00939
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES
MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO
OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN:
SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049,
TEL: (614)644-2621. RENEWAL CERTIFICATE

NP MONTGOMERY COUNTY CORONER
361 W THIRD ST
DAYTON OH ACTION DATE : 01/06/2009
FACILITY DESCRIPTION: INFECTIOUS WASTE
IDENTIFICATION NO. : 57-G-00359
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES
MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO
OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN:
SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049,
TEL: (614)644-2621. RENEWAL CERTIFICATE

PROPOSED ISSUANCE OF MODIFICATION TO PRETREATMENT PROGRAM

NP DAYTON WWTP
2800 GUTHRIE RD
DAYTON OH ACTION DATE : 01/13/2009
RECEIVING WATERS: GREAT MIAMI RIVER
FACILITY DESCRIPTION: MUNICIPALITY
IDENTIFICATION NO. : 1PF00000*ND

DRAFT NPDES PERMIT RENEWAL - SUBJECT TO REVISION

NP OAKWOOD WATER SOFTENING PLANT NO 1
210 SHAFOR BLVD
OAKWOOD OH ACTION DATE : 01/13/2009
RECEIVING WATERS: GREAT MIAMI RIVER
FACILITY DESCRIPTION: ION EXCHANGE SYSTEM
IDENTIFICATION NO. : 1IX00008*DD

DRAFT ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

NPN VALLEY ASPHALT - WALLS PHILLIPSBURG
9843 SR 49
PHILLIPSBURG OH ACTION DATE : 01/05/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0103840
CHRIS KORLESKI, DIRECTOR OF THE OHIO ENVIRONMENTAL PROTECTION
AGENCY, 50 WEST TOWN STREET, COLUMBUS OHIO HAS ISSUED A DRAFT ACTION
OF AN AIR POLLUTION CONTROL, FEDERALLY ENFORCEABLE PERMIT-TO-INSTALL
AND OPERATE (PTIO) FOR THE FACILITY AT THE LOCATION IDENTIFIED ABOVE
ON THE DATE INDICATED. COMMENTS CONCERNING THIS DRAFT ACTION, OR A
REQUEST FOR A PUBLIC MEETING, MUST BE SENT IN WRITING NO LATER THAN
THIRTY (30) DAYS FROM THE DATE THIS NOTICE IS PUBLISHED. ALL
COMMENTS, QUESTIONS, REQUESTS FOR PERMIT APPLICATIONS OR OTHER
PERTINENT DOCUMENTATION, AND CORRESPONDENCE CONCERNING THIS ACTION
MUST BE DIRECTED TO CARLOS LYNCH AT REGIONAL AIR POLLUTION CONTROL
AGENCY, 117 SOUTH MAIN STREET OR (937)225-4435. THE PERMIT CAN BE
DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

DRAFT OAC CHAPTER 3745-31 MODIFICATION OF PERMIT-TO-INSTALL AND
OPERATE

NPN THREE BOND INTERNATIONAL, INC.
101 DARUMA PKWY
MORaine OH ACTION DATE : 01/05/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104101
CHRIS KORLESKI, DIRECTOR OF THE OHIO ENVIRONMENTAL PROTECTION
AGENCY, 50 WEST TOWN STREET, COLUMBUS OHIO HAS ISSUED A DRAFT ACTION
OF AN AIR POLLUTION CONTROL, FEDERALLY ENFORCEABLE PERMIT-TO-INSTALL
AND OPERATE (PTIO) FOR THE FACILITY AT THE LOCATION IDENTIFIED ABOVE
ON THE DATE INDICATED. COMMENTS CONCERNING THIS DRAFT ACTION, OR A
REQUEST FOR A PUBLIC MEETING, MUST BE SENT IN WRITING NO LATER THAN
THIRTY (30) DAYS FROM THE DATE THIS NOTICE IS PUBLISHED. ALL
COMMENTS, QUESTIONS, REQUESTS FOR PERMIT APPLICATIONS OR OTHER

PERTINENT DOCUMENTATION, AND CORRESPONDENCE CONCERNING THIS ACTION MUST BE DIRECTED TO CARLOS LYNCH AT REGIONAL AIR POLLUTION CONTROL AGENCY, 117 SOUTH MAIN STREET OR (937)225-4435. THE PERMIT CAN BE DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

APPLICATION RECEIVED FOR AIR PERMIT

NP WOODLAND CEMETERY ASSOCIATION

118 WOODLAND AVE

DAYTON

OH ACTION DATE : 12/30/2008

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : A0036726

RENEWAL OF EXISTING PTO

PREBLE COUNTY: NOTHING THIS WEEK.

ROSS COUNTY:

APPLICATION RENEWAL FOR NPDES PERMIT

NPN KINGSTON WWTP

KINGSTON-ADELPHI RD

KINGSTON

OH ACTION DATE : 01/02/2009

RECEIVING WATERS: BLACKWATER CREEK

FACILITY DESCRIPTION: MUNICIPALITY

IDENTIFICATION NO. : 0PB00021*ED

NPN THE MELVIN STONE CO LLC

3333 PLANO RD

WASHINGTON CH

OH ACTION DATE : 12/24/2008

RECEIVING WATERS: PAINT CREEK

FACILITY DESCRIPTION: MISCELLANEOUS

IDENTIFICATION NO. : 0IN00217*CD

SHELBY COUNTY:

FINAL ISSUANCE OF REVOCATION OF PERMIT TO INSTALL

NP CARGILL, INCORPORATED

2400 INDUSTRIAL DRIVE

SIDNEY

OH ACTION DATE : 01/05/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : RVK00591

FINAL REVOCATION OF A PERMIT-TO-INSTALL (PTI) HAS BEEN ISSUED FOR THE FACILITY INDICATED. REQUESTS FOR PERTINENT INFORMATION AND DOCUMENTATION CONCERNING THIS ACTION MUST BE DIRECTED TO CRAIG OSBORNE AT OHIO EPA DAPC, SOUTHWEST DISTRICT OFFICE, 401 EAST FIFTH STREET OR (937)285-6357. THE PERMIT REVOCATION CAN BE DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

NP CARGILL, INCORPORATED

2400 INDUSTRIAL DRIVE

SIDNEY

OH ACTION DATE : 01/05/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : RVK00592

FINAL REVOCATION OF A PERMIT-TO-INSTALL (PTI) HAS BEEN ISSUED FOR THE FACILITY INDICATED. REQUESTS FOR PERTINENT INFORMATION AND DOCUMENTATION CONCERNING THIS ACTION MUST BE DIRECTED TO CRAIG OSBORNE AT OHIO EPA DAPC, SOUTHWEST DISTRICT OFFICE, 401 EAST FIFTH STREET OR (937)285-6357. THE PERMIT REVOCATION CAN BE DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

UNION COUNTY: NOTHING THIS WEEK.

Southwest OH 2 WK #11
week ending Jan. 15, 2009

Friends in Southwest Ohio.

OHEJ allies like you made it clear in the EJ forums we held in 2007 that public notice in places people actually see/read is important. OHEJ allies have taken these citizen recommendations to OEPA, and are working for reform in this area. Stay tuned!

The information below is provided in order for you to see what is going on in Southwest Ohio. You will notice that some things have been highlighted to draw your attention to these items.

Key, (PN)=In Public Notice. (NPN)=Not in Public Notice. Yellow= Application for new permit received Green=Pending draft action, pay close attention. RED=Final permit no chance for public comment.

Factory Farms NONE LISTED LAST WEEK

Public meetings for Jan. 2009

January 2009		
MIBA Sinter US, LLC Proposed wastewater discharge permits McConnelsville Discharge to the Muskingum River News Release	Wednesday January 21, 2009 6:30 p.m.	Morgan County Library 358 East Main Street McConnelsville, Ohio
Ashtabula Area City School District proposed elementary school campus in Saybrook Township Potential impact on wetlands and streams News Release	Wednesday January 21, 2009 6:30 p.m.	Blue & Gold Room Kent State University Ashtabula Campus 3300 Lake Road West Ashtabula, Ohio

PRESS RELEASES:

- **January 9, 2009--Ohio EPA Approves Springfield Property Cleanup**
- **January 14, 2009--Ohio EPA and Ohio Department of Development Give Stamp of Approval to Cleanup of Buildings at Broad and High**
- **January 14, 2009--Ohio EPA Approves Water Quality Certification for AMP-Ohio in Meigs County**
- **January 15, 2009--Ohio EPA Offers Grant Opportunities for Stream Restoration**
- **January 15, 2009--Ohio EPA Establishes Air Emissions Banking Web Site for Business and Industry**
- **January 16, 2009--Laurie Stevenson Named Deputy Director for Business Relations**
- **January 16, 2009--Ohio EPA Receives Changes to Apex Landfill's Application to Expand**

AUGLAIZE COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL

PN ST. MARYS CITY SCHOOLS
14350 SR 66
ST. MARYS OH ACTION DATE : 01/14/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 699236

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. SANITARY SEWERS FOR ST. MARYS MIDDLE SCHOOL/HIGH SCHOOL AT 14350 STATE ROUTE 66

CHAMPAIGN COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL

PN VILLAGE OF MECHANICSBURG
NW OF THE EXISTING LIFT STATION
MECHANICSBURG OH ACTION DATE : 01/13/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 657124

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. VILLAGE OF MECHANICSBURG SANITARY SEWER REPLACEMENT NORTHWEST OF THE EXISTING LIFT STATION

CLARK COUNTY:

ISSUANCE OF APPROVAL TO COMPOST ALTERNATIVE MATERIALS

PN PAYGRO, A DIVISION OF GARICK CORPORATION
P.O. BOX W
SOUTH CHARLESTON, OH 45368 OH ACTION DATE : 01/13/2009
FACILITY DESCRIPTION: COMPOST
IDENTIFICATION NO. : 12-C2R-0574

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN: SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049, TEL: (614)644-2621. NOTICE IS HEREBY GIVEN THAT ON JANUARY 13, 2009, THE DIRECTOR OF OHIO EPA ACKNOWLEDGES THE RECEIPT OF THE UPDATED PLAN VIEW DRAWING FROM PAYGRO AND APPROVES THE USE OF THE STATIC PILE METHOD AS AN ALTERNATIVE COMPOSTING METHOD FOR THE PAYGRO CLASS II COMPOSTING FACILITY. THE FACILITY IS LOCATED AT 11000 HUNTINGTON ROAD B IN SOUTH CHARLESTON, OH 45368. THIS APPROVAL IS SUBJECT TO ALL RULES, REGULATIONS AND SPECIFIED CONDITIONS.

APPROVED PERMISSION FOR OPEN BURNING OAC CHAPTER 3745-19

PN SPRINGFIELD TOWNSHIP FIRE DEPARTMENT TONY DAVIS
2777 SPRINGFIELD XENIA ROAD
SPRINGFIELD OH ACTION DATE : 12/09/2008
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : MJB321

PN SPRINGFIELD TOWNSHIP FIRE DEPT
2852 SPRINGFIELD XENIA RD
SPRINGFIELD OH ACTION DATE : 12/23/2008
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : MJB324

APPLICATION RECEIVED FOR AIR PERMIT

PN STAKER ALLOYS
1075 JAMES STREET
SPRINGFIELD OH ACTION DATE : 01/12/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0036780
FIRST ISSUE PTIO FOR EMISSIONS UNIT P001(SECONDARY ALUMINUM SWEAT FURNANCE WITH AFTERBURNER) REPLACING PTI 08-04779 ISSUED 12/14/2006.

DARKE COUNTY: NOTHING THIS WEEK.

GREENE COUNTY:

FINAL ISSUANCE OF RENEWAL OF NPDES PERMIT

PN CLIFTON WWTP

3865 STATE RTE 72 N
CEDARVILLE OH ACTION DATE : 02/01/2009
RECEIVING WATERS: LITTLE MIAMI RIVER
FACILITY DESCRIPTION: COUNTY COMMISSION
IDENTIFICATION NO. : 1PA00023*CD
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC.

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN WRIGHT-PATTERSON AFB AREA B PWS
1450 LITTEREL ROAD
WRIGHT PATTERSON AFB OH ACTION DATE : 01/09/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 700465
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH2903312 PLAN NO:700465 REGARDINGN
40083-C0054 CONSTRUCT MCRC ADMIN & VMF BUILDINGS AT WP AFB

MADISON COUNTY: NOTHING THIS WEEK.

MARION COUNTY: NOTHING THIS WEEK.

MERCER COUNTY:

FINAL ISSUANCE OF AMENDED REGISTRATION CERTIF. AS A TRANSPORTER OF
INFECTIOUS WASTE

PN MERCER CO JOINT TWP COMMUNITY HOSPITAL
800 W MAIN ST
COLDWATER OH ACTION DATE : 01/14/2009
FACILITY DESCRIPTION: INFECTIOUS WASTE
IDENTIFICATION NO. : 54-T-00080
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES
MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO
OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN:
SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049,
TEL: (614)644-2621.

ANNUAL SURVEY OF SOLID & INFECTIOUS WASTE & C&DD PROGRAM

PN MERCER COUNTY HEALTH DEPARTMENT
220 WEST LIVINGSTON STREET B-152
CELINA, OH 45822 OH ACTION DATE : 01/13/2009
FACILITY DESCRIPTION: SOLID WASTE
IDENTIFICATION NO. : 54-00-AS
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES
MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO
OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN:
SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049,
TEL: (614)644-2621. NOTICE IS HEREBY GIVEN THAT ON JANUARY 13, 2009,
THE DIRECTOR OF OHIO EPA HAVE DETERMINED THAT THE MERCER COUNTY
HEALTH DEPARTMENT, 220 WEST LIVINGSTON STREET B-152, CELINA, OH
45822, IS IN SUBSTANTIAL COMPLIANCE AND HEREBY PLACE THE MERCER
COUNTY HEALTH DEPARTMENT ON OHIO EPA'S APPROVED LIST OF HEALTH
DISTRICTS AUTHORIZED TO ADMINISTER AND ENFORCE THE SOLID AND
INFECTIOUS WASTE AND CONSTRUCTION AND DEMOLITION DEBRIS LAWS AND
RULES IN ACCORDANCE WITH SECTIONS 3734.08 AND 3714.09 OF THE OHIO
REVISED CODE (ORC). THIS APPROVAL IS SUBJECT TO ALL RULES,
REGULATIONS, AND SPECIFIED CONDITIONS.

MIAMI COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL

PN NEWTON LOCAL SCHOOL DISTRICT

201 NORTH LONG STREET
PLEASANT HILL OH ACTION DATE : 01/09/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 699726

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. SANITARY SEWER AND PUMP STATION FOR NEWTON K-12 SCHOOL AT
201 NORTH LONG STREET

APPROVED PERMISSION FOR OPEN BURNING OAC CHAPTER 3745-19

PN MIAMI COUNTY PARK DISTRICT NICHOLAS R MCCULLA
2645 EAST STATE ROUTE 41
TROY OH ACTION DATE : 12/24/2008
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : MJB325

PN MIAMI COUNTY PARK DISTRICT TREVOR DIEGEL
2645 EAST STATE ROUTE 41
TROY OH ACTION DATE : 12/22/2008
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : MJB323

PN MIAMI COUNTY PARK DISTRICT TREVOR DIEGEL
2645 EAST STATE ROUTE 41
TROY OH ACTION DATE : 12/22/2008
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : MJB322

APPLICATION RECEIVED FOR AIR PERMIT

PN **HOBART BROTHERS** COMPANY I
101 TRADE SQUARE EAST
TROY OH ACTION DATE : 01/12/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0036554
HOBART BROTHERS IS REQUESTING A PTIO FOR INSTALLATION AND OPERATION
OF A NEW DIESEL ENGINE TEST BOOTH FOR TESTING OF GENERATOR
EQUIPMENT. THE FACILITY CURRENTLY OPERATES FIVE SIMILAR TEST BOOTHS
FOR THE SAME PURPOSE (P025-P029). AN INCREASE IN ANNUAL EMISSIONS IS
NOT BEING REQUESTED, AS THE ADDITION OF A SIXTH BOOTH WILL REMAIN
WITHIN THE LIMITATIONS ALREADY IN PLACE FOR THE EXISTING GROUP OF
FIVE UNITS.

MONTGOMERY COUNTY:

FINAL ISSUANCE OF REGISTRATION CERTIFICATE AS A GENERATOR OF
INFECTIOUS WASTE

PN DAYTON REHABILITATION INSTITUTE
ONE ELIZABETH PLACE
DAYTON OH ACTION DATE : 01/14/2009
FACILITY DESCRIPTION: INFECTIOUS WASTE
IDENTIFICATION NO. : 57-G-01592

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES
MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO
OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN:
SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049,
TEL: (614)644-2621. INITIAL CERTIFICATE

FINAL ISSUANCE OF ADMINISTRATIVE MODIFICATION TO PERMIT-TO-INSTALL
AND OPERATE

PN CITGO PETROLEUM CORP - DAYTON TERMINAL
1800 FARR DRIVE
DAYTON OH ACTION DATE : 01/12/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104301

ADMINISTRATIVE MODIFICATION TO CORRECT THE PERMIT EXPIRATION DATE.

APPLICATION RECEIVED FOR AIR PERMIT

PN BP OIL COMPANY - DAYTON TERMINAL
621 BRANDT ST
DAYTON OH ACTION DATE : 06/20/2008
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0036759
RENEWAL OF AN EXISTING PTO

PN ENERGY POWER DIVISION
351 DEEDS AVE
DAYTON OH ACTION DATE : 01/12/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0036435
INSTALLATION OF: MCCLEAN-ANDERSON, FORTY-FOOT FILAMENT PIPE WINDER
DYNETICS, SIX-AXIS FILAMENT WINDER (DE MINIMIS/EXEMPT) CONTACT
MOLDING AREA (DE MINIMIS/EXEMPT)

PREBLE COUNTY:

FINAL ISSUANCE OF FINDINGS AND ORDERS

PN PRECISION WOOD PRODUCTS, INC.
2456 AUKERMAN CREEK RD
CAMDEN, OHIO 45311 OH ACTION DATE : 01/14/2009
FACILITY DESCRIPTION: PUBLIC WATER SYSTEM
IDENTIFICATION NO. : OH6837312

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. THE ORDERS REQUIRE THE PWS TO: COMPLY WITH ALL CURRENT AND FUTURE CONTAMINANT MONITORING SCHEDULES; COMPLY WITH ARSENIC MONITORING AND REPORTING REQUIREMENTS; ISSUE PUBLIC NOTICE FOR ALL MAXIMUM CONTAMINANT LEVEL (MCL) VIOLATIONS; SUBMIT DETAIL PLANS FOR AND COMPLETE THE INSTALLATION/CONSTRUCTION OF AN ARSENIC REDUCTION SYSTEM; TO HIRE AND RETAIN, AT A MINIMUM, A CLASS I CERTIFIED OPERATOR; AND TO ACHIEVE COMPLIANCE WITH THE ARSENIC MCL BY NO LATER THAN DECEMBER 14, 2010.

APPLICATION RENEWAL FOR NPDES PERMIT

NPN DAYTON TRAVEL CENTER *
6762 STATE RTE 127
EATON OH ACTION DATE : 01/16/2009
RECEIVING WATERS: UNNAMED TRIBUTARY OF GOOSE RUN
FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 1IN00212*CD

ROSS COUNTY: NOTHING THIS WEEK.

SHELBY COUNTY:

APPLICATION OF TITLE V PERMIT

PN HONDA OF AMERICA MFG., INC. ANNA ENGINE PLANT
12500 MERANDA ROAD
ANNA OH ACTION DATE : 01/13/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0036224
TITLE V RENEWAL APPLICATION FOR HONDA OF AMERICA'S ANNA ENGINE PLANT
(FACILITY ID 05-75-00-0174)

FINAL ISSUANCE OF AMENDED REGISTRATION CERTIFICATE AS A GENERATOR OF INFECTIOUS WASTE

PN WILSON MEMORIAL HOSPITAL
915 W MICHIGAN ST
SIDNEY OH ACTION DATE : 01/14/2009
FACILITY DESCRIPTION: INFECTIOUS WASTE

IDENTIFICATION NO. : 75-G-00195

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN: SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049, TEL: (614)644-2621.

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN

HEXA AMERICAS, INC.

1150 SOUTH VANDEMARK RD

SIDNEY

OH ACTION DATE : 01/12/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : P0104275

FACILITY PTIO

UNION COUNTY:

APPLICATION OF TITLE V PERMIT

PN

HONDA OF AMERICA MFG., INC. - MOTORCYCLE PLANT

24000 HONDA PARKWAY

MARYSVILLE

OH ACTION DATE : 01/14/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : A0036614

HONDA OF AMERICA MFG., INC., MARYSVILLE MOTORCYCLE PLANT IS APPLYING TO RENEW ITS TITLE-V OPERATING PERMIT.