

Friends in Southwest Ohio.

OHEJ allies like you made it clear in the EJ forums we held in 2007 that public notice in places people actually see/read is important. OHEJ allies have taken these citizen recommendations to OEPA, and are working for reform in this area. Stay tuned!

The information below is provided in order for you to see what is going on in Southwest Ohio. You will notice that some things have been highlighted to draw your attention to these items.

Key, (PN)=In Public Notice. (NPN)=Not in Public Notice. Yellow= Application for new permit received
 Green=Pending draft action, pay close attention. RED=Final permit no chance for public comment.

Factory Farms NONE LISTED LAST WEEK

Public meetings for Feb. 2009

February 2009		
Cuyahoga River Dredging 401 Potential water quality impacts News Release	Thursday February 5 5:30 P.M.	Cleveland Public Library Carnegie West Branch 1900 Fulton Road Cleveland, Ohio
Division of Air Pollution Control Proposed rules related to the control of volatile organic compound emissions from stationary sources Public Notice	Friday February 13 3:30 P.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town St. Columbus, Ohio
OVEC Kyger Creek Plant Landfill New residual waste landfill Gallia County Information Session Only Contact: Jed Thorp	Wednesday, February 18th, 2009; 6:30 P.M.	River Valley High School, Cafeteria, 1428 Little Kyger Rd, Cheshire, OH 45620
Division of Surface Water Proposed Wastewater Permit to Install Rules Related Information	Tuesday February 24 10:30 A.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town St. Columbus, Ohio
Division of Air Pollution Control Ohio's Regional Haze State Implementation Plan (SIP) submitted to U.S. EPA Contact: Mary McCarron	Thursday February 26 3:30 P.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town St. Columbus, Ohio
Sandusky Harbor Dredging 401 Potential Water Quality Impacts Contact: Darla Peelle	Thursday February 26 6:30 P.M.	Sandusky City Hall 222 Meigs Street Sandusky, OH 44670

- **January 20, 2009--Ottawa County Business to Pay Penalty for Wastewater Violations**
- **January 21, 2009--Hazardous Waste Violations Settlement for Universal Plating, Inc. in Summit County**
- **January 22, 2009--Public Meeting Scheduled Regarding Cleveland Harbor Dredging Project**
- **January 22, 2009--Ohio EPA Issues Water Quality Certifications for Delaware County Development Projects**

AUGLAIZE COUNTY:

DRAFT NPDES PERMIT RENEWAL - SUBJECT TO REVISION

PN K/Z SEWER DIST
 12016 WAPAK-BUCKLAND RD
 WAPAKONETA OH ACTION DATE : 01/28/2009
 RECEIVING WATERS: TWO MILE CREEK
 FACILITY DESCRIPTION: SUBDV OR APRTMNT COMPLX
 IDENTIFICATION NO. : 2PW00006*BD

CHAMPAIGN COUNTY:

FINAL ISSUANCE OF ADMINISTRATIVE MODIFICATION TO PERMIT-TO-INSTALL AND OPERATE

PN HONEYWELL LIGHTING AND ELECTRONICS
 550 STATE RTE 55
 URBANA OH ACTION DATE : 01/22/2009
 FACILITY DESCRIPTION: AIR
 IDENTIFICATION NO. : P0104027
 EXISTING COATING LINE W/ FEDERALLY ENFORCEABLE TO AVOID TITLE V REQUIREMENTS

CLARK COUNTY:

FINAL ISSUANCE OF REVOCATION OF PERMIT TO INSTALL

PN PARK LAYNE SUNOCO/DAVID M. CLOSEY
 2131 S. DAYTON-LAKEVIEW ROAD
 NEW CARLISLE OH ACTION DATE : 01/20/2009
 FACILITY DESCRIPTION: AIR
 IDENTIFICATION NO. : RVK00614
 FINAL REVOCATION OF A PERMIT-TO-INSTALL (PTI) HAS BEEN ISSUED FOR THE FACILITY INDICATED. REQUESTS FOR PERTINENT INFORMATION AND DOCUMENTATION CONCERNING THIS ACTION MUST BE DIRECTED TO ANDREW WEISMAN AT REGIONAL AIR POLLUTION CONTROL AGENCY, 117 SOUTH MAIN STREET OR (937)225-4435. THE PERMIT REVOCATION CAN BE DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

ANNUAL SURVEY OF SOLID & INFECTIOUS WASTE & C&DD PROGRAM

PN CLARK COUNTY COMBINED HEALTH DISTRICT
 529 EAST HOME ROAD
 SPRINGFIELD, OH 45503 OH ACTION DATE : 01/22/2009
 FACILITY DESCRIPTION: SOLID WASTE
 IDENTIFICATION NO. : 12/00-AS
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN: SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049, TEL: (614)644-2621. NOTICE IS HEREBY GIVEN THAT ON JANUARY 22, 2009, THE DIRECTOR OF OHIO EPA HAVE DETERMINED THAT THE CLARK COUNTY COMBINED HEALTH DISTRICT, 529 EAST HOME ROAD, SPRINGFIELD, OH 45503, IS IN SUBSTANTIAL COMPLIANCE AND HEREBY PLACE THE CLARK COUNTY COMBINED HEALTH DISTRICT ON OHIO EPA'S APPROVED LIST OF HEALTH DISTRICTS AUTHORIZED TO ADMINISTER AND ENFORCE THE SOLID AND INFECTIOUS WASTE AND CONSTRUCTION AND DEMOLITION DEBRIS LAWS AND RULES IN ACCORDANCE WITH SECTIONS 3734.08 AND 3714.09 OF THE OHIO REVISED CODE. THIS APPROVAL IS SUBJECT TO ALL RULES, REGULATIONS, AND SPECIFIED CONDITIONS.

DARKE COUNTY: NOTHING THIS WEEK.

GREENE COUNTY:

FINAL ISSUANCE OF RENEWAL OF NPDES PERMIT

PN UNISON INDUSTRIES LLC PLANT 1
2455 DAYTON-XENIA RD
DAYTON OH ACTION DATE : 03/01/2009
RECEIVING WATERS: BEAVER CREEK
FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 1IN00189*CD
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC.

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN GREENE COUNTY EASTERN REGIONAL PWS
1122 BEAVER VALLEY RD
BEAVERCREEK OH ACTION DATE : 01/21/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 700453
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH2906103 PLAN NO:700453
REGARDINGS97-7D 12" WATERLINE EXTENSION FROM US RT 42 TO KYLE D RIVE
AND CENTER STREET

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN YODER DIE CASTING CORP
851 BELLBROOK AVE
XENIA OH ACTION DATE : 01/20/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104180
FIRST ISSUE PTIO FOR GAS FIRED REVERBERATORY ALUMINUM MELTING
FURNACE (6 MMBTU/HR MAX RATING) OPERATING UNDER PTI 08-04775 (ISSUED
3/6/2003).

MADISON COUNTY:

APPROVED PERMISSION FOR OPEN BURNING OAC CHAPTER 3745-19

PN BRIAN BENNINGTON/CENTRAL TWP. JT. FIRE DIST.
75 MIDDLE STREET
LONDON, OHIO 43140 OH ACTION DATE : 01/12/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : DEB12209A
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. THIS PERMISSON IS FOR THE BURNING OF A WOOD STRUCTURE AT
975 MARKLEY ROAD, LONDON FOR THE PURPOSE OF FIRE TRAINING. THIS
PERMISSION IS MADE PURSUANT TO OHIO ADMINISRATIVE CODE RULE
3745-19-04 (C) (2).

MARION COUNTY:

DRAFT NPDES PERMIT RENEWAL - SUBJECT TO REVISION

PN **ASPHALT MATERIALS** INC MARION PLANT
184 MARION-WILLIAMSPORT RD W
MARION OH ACTION DATE : 01/27/2009
RECEIVING WATERS: UNAMED DITCH TO BLUM DITCH
FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 2IN00163*BD

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN ALTIVITY PACKAGING LLC
1171 WEST CENTER ST
MARION OH ACTION DATE : 01/21/2009
FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : P0104174
(8) FLEXOGRAPHIC PRESES, FLEXOGRAHIC PLATE MAKING EQUIPMENT AND
SCRAP PROCESSING

MERCER COUNTY: NOTHING THIS WEEK.

MIAMI COUNTY:

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN HOBART BROTHERS CO IV
98 N KINGS CHAPEL DR
TROY OH ACTION DATE : 01/16/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104224
INITIAL PTIO FOR EIGHT WELDING WIRE DRAW BENCHES AND A POWDERED FLUX
MIXING ROOM WITH FABRIC FILTER.

MONTGOMERY COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL

PN SPEEDWAY SUPERAMERICA LLC
PO BOX 1500
SPRINGFIELD OH 45501 OH ACTION DATE : 01/20/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 688665-H
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. MOBILE WASTEWATER TREATMENT SYSTEM TO TREAT PETROLEUM
CONTAMINATED GROUNDWATER AT VARIOUS LOCATIONS ACROSS THE STATE OF
OHIO.

FINAL ISSUANCE OF REGISTRATION CERTIFICATE AS A GENERATOR OF
INFECTIOUS WASTE

PN PROVIDENCE MEDICAL GROUP
2912 SPRINGBORO W STE 201
DAYTON OH ACTION DATE : 01/21/2009
FACILITY DESCRIPTION: INFECTIOUS WASTE
IDENTIFICATION NO. : 57-G-01309
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES
MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO
OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN:
SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049,
TEL: (614)644-2621. RENEWAL CERTIFICATE

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN COMMUNITY PENTECOSTAL WORSHIP CTR PWS
PO BOX 92
GERMANTOWN OH ACTION DATE : 01/21/2009
IDENTIFICATION NO. : 678585
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH5750212 PLAN NO:678585
REGARDINGCPWC WELL #1

LAND APPLICATION MANAGEMENT PLAN APPROVAL

PN SOILS PLUS, LLC
3145 YORK STREET
TOELDO OH 43605-1152 OH ACTION DATE : 01/23/2009
FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 2MP00004*AM-8
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. USE OF DREDGED SPOIL MATERIAL MIXED WITH FLUIDIZED BED
COMBUSTION ASH (FBCA) AS A CONSTRUCTION MATERIAL IN PROJECTS ACROSS
THE STATE OF OHIO.

PREBLE COUNTY:

FINAL ISSUANCE OF OAC CHAPTER 3745-31 MODIFICATION TO PERMIT-TO-INSTALL AND OPERATE

PN REXARC INCORPORATED
35 E THIRD ST
WEST ALEXANDRIA OH ACTION DATE : 01/20/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104166
PTIO MODIFICATION APPLICATION FOR AN EXISTING TCE VAPOR DEGREASER THAT WAS MISTAKENELY SHUT DOWN WHEN THE SOLVENT WAS SWITCHED FROM FREON TO TCE.

ROSS COUNTY:

FINAL ISSUANCE OF RENEWAL OF NPDES PERMIT

PN ODNR PAINT CREEK STATE PARK TAYLOR RD CAMPGROUND
14265 STATE RTE 50
BAINBRIDGE OH ACTION DATE : 03/01/2009
RECEIVING WATERS: PAINT CREEK RESERVOIR
FACILITY DESCRIPTION: STATE FACILITY
IDENTIFICATION NO. : 0PP00076*ED
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC.

SHELBY COUNTY:

FINAL ISSUANCE OF OAC CHAPTER 3745-31 MODIFICATION TO PERMIT-TO-INSTALL

PN IVEX PROTECTIVE PACKAGING INC. (FORMERLY PROTEC PAC USA)
P.O. BOX 4699
SIDNEY OH ACTION DATE : 01/16/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0103888
PROTECTIVE FOAM SHEETING LINES, WAREHOUSE, EXTRUDER AND GRINDER WITH CAPTURE AND CONTROL

UNION COUNTY:

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN BUCK RIDGE GOLF COURSE PWS
17483 ROBINSON RD
MARYSVILLE OH ACTION DATE : 01/16/2009
FACILITY DESCRIPTION: TRANSIENT WATER SYSTEM
IDENTIFICATION NO. : 676203
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. DETAIL PLANS FOR PWSID:OH8039512 PLAN NO:676203 REGARDINGNEW CLUBHOUSE

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN PRECISION COATING SYSTEMS, INC.
948 COLUMBUS AVE
MARYSVILLE OH ACTION DATE : 01/21/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0103659
PERMIT FOR A NEW SPRAY BOOTH (K006) TO REPLACE SPRAY BOOTH (K005) THAT WAS DESTROYED IN A FIRE EARLIER THIS YEAR.

FINAL ISSUANCE OF ADMINISTRATIVE MODIFICATION TO PERMIT-TO-INSTALL

PN HONDA OF AMERICA MFG., INC., MARYSVILLE AUTO PLANT
24000 HONDA PARKWAY
MARYSVILLE OH ACTION DATE : 01/22/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104138
ADMINISTRATIVE MODIFICATION TO PTI 01-12194 TO UPDATE EMISSIONS UNITS ORGANIZATION

Southwest OH 2 WK #13
week ending Jan. 29, 2009

Friends in Southwest Ohio.

OHEJ allies like you made it clear in the EJ forums we held in 2007 that public notice in places people actually see/read is important. OHEJ allies have taken these citizen recommendations to OEPA, and are working for reform in this area. Stay tuned!

The information below is provided in order for you to see what is going on in Southwest Ohio. You will notice that some things have been highlighted to draw your attention to these items.

Key, (PN)=In Public Notice. (NPN)=Not in Public Notice. Yellow= Application for new permit received
Green=Pending draft action, pay close attention. RED=Final permit no chance for public comment.

Factory Farms NONE LISTED LAST WEEK

Public meetings for Jan. 2009

February 2009		
Cuyahoga River Dredging 401 Potential water quality impacts News Release	Thursday February 5 5:30 P.M.	Cleveland Public Library Carnegie West Branch 1900 Fulton Road Cleveland, Ohio
Division of Air Pollution Control Proposed rules related to the control of volatile organic compound emissions from stationary sources Public Notice	Friday February 13 3:30 P.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town St. Columbus, Ohio
OVEC Kyger Creek Plant Landfill New residual waste landfill Gallia County Information Session Only Contact: Jed Thorp	Wednesday, February 18th, 2009; 6:30 P.M.	River Valley High School, Cafeteria, 1428 Little Kyger Rd, Cheshire, OH 45620
Division of Surface Water Proposed Wastewater Permit to Install Rules Related Information	Tuesday February 24 10:30 A.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town St. Columbus, Ohio
Division of Air Pollution Control Ohio's Regional Haze State Implementation Plan (SIP) submitted to U.S. EPA Contact: Mary McCarron	Thursday February 26 3:30 P.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town St. Columbus, Ohio

Sandusky Harbor Dredging 401 Potential Water Quality Impacts Contact: Darla Peelle	Thursday February 26 6:30 P.M.	Sandusky City Hall 222 Meigs Street Sandusky, OH 44670
---	--------------------------------------	--

V&M Star Draft air permit Proposed expansion to steel production facility Mahoning County News Release	Thursday February 12 6:30 P.M.	City Hall 26 South Phelps Street Youngstown, Ohio
Division of Air Pollution Control Designation of nontainment area boundaries for ozone Public Notice	Thursday February 12 3:00 P.M.	Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio
Mahoning Renewable Energy Draft air permit Proposed waste-to-energy facility Mahoning County Contact: Caroline Markworth	Tuesday February 17 6:30 P.M.	McKinley High School 225 East Indiana Avenue Sebring, Ohio
OVEC Kyger Creek Plant Landfill New residual waste landfill Gallia County Information Session Only Contact: Jed Thorp	Wednesday, February 18 6:30 P.M.	River Valley High School Cafeteria 1428 Little Kyger Road Cheshire, Ohio
Avon Lake Sewer Project 401 Potential impact to wetlands and streams Lorain County Contact: Caroline Markworth	Wednesday February 18 6:30 P.M.	Carlisle Township Building E 1959 Grafton Road Elyria, Ohio
Division of Surface Water Proposed Wastewater Permit to Install Rules Related Information	Tuesday February 24 10:30 A.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio

PUBLIC MEETINGS MARCH 2009

March 2009		
Ozone Nonattainment Redesignation and Maintenance Plan Columbus Area Public Notice	Monday March 2 2:30 P.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio
Ozone Nonattainment Redesignation and Maintenance Plan Cleveland-Akron-Lorain Area Public Notice	Tuesday March 3 2:30 P.M.	Ohio EPA Northeast District Office 2110 East Aurora Road Twinsburg, Ohio

<p>First Energy Bayshore Plant Information on studies regarding entrapment and entrainment at the power plant's water intake Lucas County Information Session Only Contact: Darla Peelle</p>	<p>Tuesday March 3 6:30 P.M.</p>	<p>Lake Erie Center 6200 Bayshore Drive Oregon, Ohio</p>
<p>Suburban Collision Center Draft air permit Automotive body, paint and interior repair and maintenance facility Cuyahoga County Contact: Caroline Markworth</p>	<p>Tuesday March 3 6:30 P.M.</p>	<p>Cuyahoga County Public Library 27403 Lorain Road North Olmsted, Ohio</p>
<p>Division of Air Pollution Control Proposed rules to consolidate Ohio's ambient air quality standards Public Notice</p>	<p>Thursday March 5 10:30 A.M.</p>	<p>Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio</p>
<p>Preble County Landfill Solid waste permit Proposed expansion Contact: Erika Wiggins</p>	<p>Monday March 9 6:30 P.M.</p>	<p>Preble County Courthouse 101 East Main Street Eaton, Ohio</p>
<p>Fairport Harbor Dredging 401 Potential water quality impacts Lake County Contact: Caroline Markworth</p>	<p>Tuesday March 10 6:00 P.M.</p>	<p>Fairport Harbor Public Library 335 Vine Street Fairport Harbor, Ohio</p>
<p>Combined 401s: Schaffner seawall and pier West tower and pier and Panuto Seawall and pier Potential water quality impacts Lorain County Contact: Caroline Markworth</p>	<p>Thursday March 12 6:30 P.M.</p>	<p>Avon Lake Public Library 32649 Electric Blvd Avon Lake, Ohio</p>
<p>Ohio Department of Transportation 401 Water Quality Certification Potential impacts to wetlands and streams Holmes County Contact: Caroline Markworth</p>	<p>Thursday March 19 6:30 P.M.</p>	<p>Killbuck Township Community Room 340 North Main Street Killbuck Township, Ohio</p>
<p>BASF Catalyst Draft air permit Lorain County Contact: Caroline Markworth</p>	<p>Wednesday March 25 6:30 P.M.</p>	<p>Elyria Public Library West River Branch 1194 West River Road North Elyria, Ohio</p>

Press Releases

- **January 26, 2009--Ohio EPA Issues Final Storm Water Permit for the Olentangy River Watershed**
- **January 28, 2009--Ohio EPA Issues Covenant Not to Sue for Columbus Property**
- **January 29, 2009--Ohio EPA's Southeast District Office Closed Thursday Due to Power Outage**
- **January 29, 2009--Ohio EPA Issues Final Approval of Columbus' Wet Weather Management Plan to Reduce Sewage Overflows**
- **January 29, 2009--Public Meeting Scheduled Regarding Draft Air Permit Issued to V&M Star in Mahoning County**

- **January 30, 2009--Ohio EPA Issues Two Final Air Permits and a Draft Wastewater Permit to Solsil, Inc. in Washington County**

AUGLAIZE COUNTY:

APPLICATION RENEWAL FOR NPDES PERMIT

NPN **EASY CAMPGROUNDS**
 14338 TOWNLINE KOSSUTH RD
 SAINT MARYS OH ACTION DATE : 01/20/2009
 RECEIVING WATERS: ANKERMAN CREEK
 FACILITY DESCRIPTION: SEMI-PUBLIC
 IDENTIFICATION NO. : 2PR00178*CD

NPN **WAPAKONETA COUNTRY CLUB**
 18781 STATE RTE 501
 WAPAKONETA OH ACTION DATE : 01/21/2009
 RECEIVING WATERS: HAUSS DITCH
 FACILITY DESCRIPTION: SEMI-PUBLIC
 IDENTIFICATION NO. : 2PR00126*BD

APPROVED PERMISSION FOR OPEN BURNING OAC CHAPTER 3745-19

PN DALE DUES
 02768 MINSTER-FT. RECOVERY RD.
 MINSTER, OHIO 45865 OH ACTION DATE : 12/01/2008
 FACILITY DESCRIPTION: AIR
 IDENTIFICATION NO. : 008-095
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
 TO ERAC. BURNING 1 HOUSE FOR TRAINING

PN ROBERT SWICK
 02096 GREENVILLE RD.
 ST. MARYS, OHIO 45885 OH ACTION DATE : 12/18/2008
 FACILITY DESCRIPTION: AIR
 IDENTIFICATION NO. : 008-099
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
 TO ERAC. BURNING 1 HOUSE FOR TRAINING

CHAMPAIGN COUNTY:

DRAFT ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

NPN **HALL COMPANY, THE**
 420 EAST WATER ST
 URBANA OH ACTION DATE : 01/23/2009
 FACILITY DESCRIPTION: AIR
 IDENTIFICATION NO. : P0104029
 CHRIS KORLESKI, DIRECTOR OF THE OHIO ENVIRONMENTAL PROTECTION
 AGENCY, 50 WEST TOWN STREET, COLUMBUS OHIO HAS ISSUED A DRAFT ACTION
 OF AN AIR POLLUTION CONTROL, FEDERALLY ENFORCEABLE PERMIT-TO-INSTALL
 AND OPERATE (PTIO) FOR THE FACILITY AT THE LOCATION IDENTIFIED ABOVE
 ON THE DATE INDICATED. COMMENTS CONCERNING THIS DRAFT ACTION, OR A
 REQUEST FOR A PUBLIC MEETING, MUST BE SENT IN WRITING NO LATER THAN
 THIRTY (30) DAYS FROM THE DATE THIS NOTICE IS PUBLISHED. ALL
 COMMENTS, QUESTIONS, REQUESTS FOR PERMIT APPLICATIONS OR OTHER
 PERTINENT DOCUMENTATION, AND CORRESPONDENCE CONCERNING THIS ACTION
 MUST BE DIRECTED TO CRAIG OSBORNE AT OHIO EPA DAPC, SOUTHWEST
 DISTRICT OFFICE, 401 EAST FIFTH STREET OR (937)285-6357. THE PERMIT
 CAN BE DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

CLARK COUNTY: NOTHING THIS WEEK.

DARKE COUNTY: NOTHING THIS WEEK.

GREENE COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL

PN GREENE COUNTY SANITARY ENGINEERING DEPARTMENT
1830 STATE ROUTE 725
SPRING VALLEY TWP. OH ACTION DATE : 01/27/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 678725
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. SPRING VALLEY LIFT STATION REPLACEMENT AT 1830 STATE ROUTE
725

MADISON COUNTY: NOTHING THIS WEEK.

MERCER COUNTY:

DRAFT PERMIT TO INSTALL - SUBJECT TO REVISION

PN **MERCER COUNTY COMMISSIONERS**
220 WEST LIVINGSTON ST. ROOM A201
CELINA, OH 45822 OH ACTION DATE : 02/11/2009
RECEIVING WATERS: BEAVER CREEK
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 665929
ANTIDEGRADATION PROJECT AS DEFINED BY OAC 3745-1-05 - AN EXCLUSION
OR WAIVER IS NOT APPLICABLE. REQUESTS TO BE ON THE INTERESTED
PARTIES MAILING LIST SHOULD BE SUBMITTED WITHIN 30 DAYS TO OHIO
EPA-DIVISION OF SURFACE WATER, ATTENTION: PERMITS PROCESSING UNIT,
P.O. BOX 1049, COLUMBUS, OHIO 43216-1049. WEST JEFFERSON SEWER
DISTRICT WASTEWATER TREATMENT PLANT IMPROVEMENTS PHASE II, FKA MERCER
COUNTY HOME WWTP.

MIAMI COUNTY:

FINAL ISSUANCE OF EXTENSION OF PERMIT TO INSTALL

PN CLOPAY BUILDING PRODUCTS COMPANY, INC. - TROY
1400 W. STATE ROUTE 55
TROY OH ACTION DATE : 01/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : EXT00208
TIME EXTENSION OF A PERMIT-TO-INSTALL (PTI) HAS BEEN ISSUED FOR THE
FACILITY INDICATED. **ACTION WAS NOT PRECEDED BY A PROPOSED** ACTION AND
MAY BE APPEALED. ALL COMMENTS, QUESTIONS, REQUESTS FOR PERTINENT
INFORMATION AND DOCUMENTATION CONCERNING THIS ACTION MUST BE
DIRECTED TO STEPHANIE MADDEN AT REGIONAL AIR POLLUTION CONTROL
AGENCY, 117 SOUTH MAIN STREET OR (937)225-4435. A COPY OF THE TIME
EXTENSION CAN BE DOWNLOADED FROM THE WEB PAGE:
WWW.EPA.STATE.OH.US/DAPC

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN HARTZELL PROPELLER, INC
ONE PROPELLER PLACE
PIQUA OH ACTION DATE : 01/27/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104266
K001- ROBOTIC PAINT BOOTH WITH SPRAY APPLICATORS

MONTGOMERY COUNTY:

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN NEW LEBANON VILLAGE PWS
198 SOUTH CLAYTON ROAD
NEW LEBANON OH ACTION DATE : 01/26/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 701496
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH5701812 PLAN NO:701496

REGARDING WATER SYSTEM FEEDER MAIN UPDATE PROJECT

AUTHORIZATION FOR THE TEMPORARY SHUTDOWN OF CERTAIN AIR POLLUTION CONTROL EQUIPMENT PURSUANT TO OAC RULE 3745-15-06(A) (3)

PN CARGILL, INC.
3201 NEEDMORE RD., PO BOX 1400A
DAYTON, OH 45413 OH ACTION DATE : 01/27/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : 012709PR263
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. REQUEST TO ALLOW FOR CONTINUED OPERATION OF EMISSIONS UNITS T507 (FX HYDROCHLORIC ACID STORAGE TANK) DURING THE SCHEDULED MAINTENANCE SHUTDOWN OF THE ASSOCIATED SCRUBBERS WHICH CONTROL EMISSIONS OF HYDROCHLORIC ACID AT THE CARGILL, INC. FACILITY (ID #08-57-04-1124) LOCATED AT 3201 NEEDMORE ROAD, MONTGOMERY COUNTY, DAYTON, OHIO.

PN CARGILL, INC.
3201 NEEDMORE RD., PO BOX 1400A
DAYTON, OH 45413 OH ACTION DATE : 01/27/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : 012709PR262
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. REQUEST TO ALLOW FOR CONTINUED OPERATION OF EMISSIONS UNITS P002 (SM STEEP TANK ASPIRATION), P003 (SM MILL ASPIRATION), P024 (NM STEEP TANKS ASPIRATION), P025 (NORTH MILL ASPIRATION) AND P086 (NM STEEP ASPIRATION #2) DURING THE SCHEDULED MAINTENANCE SHUTDOWN OF THE ASSOCIATED SCRUBBERS WHICH CONTROL EMISSIONS OF SULFUR DIOXIDE, PARTICULATE AND ORGANIC COMPOUNDS AT THE CARGILL, INC. FACILITY (ID #08-57-04-1124) LOCATED AT 3201 NEEDMORE ROAD, MONTGOMERY COUNTY, DAYTON, OHIO.

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN A.P.S. MATERIALS, INC.
4011 RIVERSIDE DR.
DAYTON OH ACTION DATE : 01/27/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0093829
METAL & CERAMIC COATING BY PLASMA ARC SPRAY PROCESS (HOOD A) WITH FABRIC FILTER CONTROL

PN TECH DEVELOPMENT INC.
6800 POE AVENUE
VANDALIA OH ACTION DATE : 01/27/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104262
FIRST ISSUE PTIO FOR 1,550 HP DIESEL ENGINE USED TO TEST ENGINE STARTERS. EU ALREADY INSTALLED AND OPERATING.

APPLICATION RECEIVED FOR AIR PERMIT

PN **FIBRE GLAST DEVELOPMENTS CORP.**
385 CARR DR.
BROOKVILLE OH ACTION DATE : 01/26/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0036840
THIS PTIO APPLICATION IS FOR A HAZARD BUILDING USED TO REPACKAGE RESINS FROM 55 GAL DRUMS TO SMALLER CONTAINERS FOR RESALE. THE FACILITY WAS PREVIOUSLY PERMITTED UNDER FACILITY ID # 0857013107. THE COMPANY MOVED TO A NEW LOCATION IN 2006.

PREBLE COUNTY: NOTHING THIS WEEK.

SHELBY COUNTY:

ISSUANCE TITLE V AIR PERMIT TO OPERATE

PN NORCOLD
600 S KUTHER RD
SIDNEY OH ACTION DATE : 01/29/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0088876
TITLE V PERMIT TO OPERATE RENEWAL FOR SEVEN POLYURETHANE FOAMING
OPERATIONS.

DRAFT TITLE V AIR PERMIT TO OPERATE

NPN THERMOSEAL INC.
2350 CAMPBELL ROAD
SIDNEY OH ACTION DATE : 01/27/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0088883
CHRIS KORLESKI, DIRECTOR OF THE OHIO ENVIRONMENTAL PROTECTION
AGENCY, 50 WEST TOWN STREET, COLUMBUS OHIO, HAS ISSUED A DRAFT
ACTION OF AN AIR POLLUTION CONTROL TITLE V OPERATING PERMIT FOR THE
FACILITY AT THE LOCATION IDENTIFIED ABOVE ON THE DATE INDICATED.
COMMENTS CONCERNING THIS DRAFT ACTION, OR A REQUEST FOR A PUBLIC
MEETING, MUST BE SENT IN WRITING NO LATER THAN THIRTY (30) DAYS FROM
THE DATE THIS NOTICE IS PUBLISHED. ALL COMMENTS, QUESTIONS, REQUESTS
FOR PERMIT APPLICATIONS OR OTHER PERTINENT DOCUMENTATION, AND
CORRESPONDENCE CONCERNING THIS ACTION MUST BE DIRECTED TO CRAIG
OSBORNE AT OHIO EPA DAPC, SOUTHWEST DISTRICT OFFICE, 401 EAST FIFTH
STREET OR (937)285-6357. THE PERMIT, WHICH INCLUDES A DETAILED
DESCRIPTION OF THE OPERATIONS, AND ASSOCIATED STATEMENT OF BASIS FOR
THE PERMIT REQUIREMENTS, CAN BE DOWNLOADED FROM THE WEB PAGE:
WWW.EPA.STATE.OH.US/DAPC

UNION COUNTY:

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN HAPI-OHIO
20100 JOHNSON RD
MARYSVILLE OH ACTION DATE : 01/27/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104221
RENEWAL AND ADMINISTRATIVE MODIFICATION TO REVISE CONTROL DEVICE
PRESSURE DROPS RANGES BASED ON EMISSIONS TESTING.

FINAL ISSUANCE OF OAC CHAPTER 3745-31 MODIFICATION TO
PERMIT-TO-INSTALL AND OPERATE

PN HAPI-OHIO
20100 JOHNSON RD
MARYSVILLE OH ACTION DATE : 01/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104268
CH. 31 MOD TO ALTER EMISSIONS LIMITATIONS

APPLICATION RECEIVED FOR AIR PERMIT

PN HONDA OF AMERICA MFG., INC., MARYSVILLE AUTO PLANT
24000 HONDA PARKWAY
MARYSVILLE OH ACTION DATE : 01/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0036723
INSTALLATION OF A NEW INJECTION MACHINE (CM 1) TO REPLACE EXISTING
INJECTION MACHINE UNITS P003 (F-1) AND P312 (HPM 2).

PN HONDA OF AMERICA MFG., INC., MARYSVILLE AUTO PLANT
24000 HONDA PARKWAY
MARYSVILLE OH ACTION DATE : 01/23/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : A0036522

THIS IS AN ADMINISTRATIVE PERMIT MODIFICATION REQUEST FOR SOURCE K240 (PTI#01-12057). THIS IS BEING PROCESSED THROUGH AIR SERVICES AS A NEW PTI APPLICATION AT OHIO EPA'S REQUEST, DUE TO THE FACT THAT THIS SOURCE WAS NOT UPLOADED INTO AIR SERVICES AND COULD THEREFORE NOT BE SUBMITTED AS AN ADMINISTRATIVE PERMIT MODIFICATION.