

Northwest OH WK #16
 week ending Feb. 19, 2009

Friends in Northwest Ohio.

OHEJ allies like you made it clear in the EJ forums we held in 2007 that public notice in places people actually see/read is important. OHEJ allies have taken these citizen recommendations to OEPA, and are working for reform in this area. Stay tuned!

The information below is provided in order for you to see what is going on in Northwest Ohio. You will notice that some things have been highlighted to draw your attention to these items.

Key, (PN)=In Public Notice. (NPN)=Not in Public Notice. Yellow= Application for new permit received
 Green=Pending draft action, pay close attention. RED=Final permit no chance for public comment.

Factory Farms NOTHING LAST WEEK.

Public meetings for Feb. and March, 2009

February 2009		
Division of Surface Water Proposed Wastewater Permit to Install Rules Related Information	Tuesday February 24 10:30 A.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio
Division of Air Pollution Control Ohio's Regional Haze State Implementation Plan submitted to U.S. EPA Public Notice	Thursday February 26 3:30 P.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio
Sandusky Harbor Dredging 401 Potential Water Quality Impacts Contact: Darla Peelle	Thursday February 26 6:30 P.M.	Sandusky City Hall 222 Meigs Street Sandusky, Ohio

MARCH 2009

Ozone Nonattainment Redesignation and Maintenance Plan Columbus Area News Release	Monday March 2 2:30 P.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio
Ozone Nonattainment Redesignation and Maintenance Plan Cleveland-Akron-Lorain Area News Release	Tuesday March 3 2:30 P.M.	Ohio EPA Northeast District Office 2110 East Aurora Road Twinsburg, Ohio
First Energy Bayshore Plant Information on studies regarding entrapment and entrainment at the power plant's water intake Lucas County Information Session Only News Release	Tuesday March 3 6:30-8:15 P.M.	Wynn Elementary School Gymnasium 5224 Bay Shore Road Oregon, Ohio

<p>Suburban Collision Center Draft air permit Automotive body, paint and interior repair and maintenance facility Cuyahoga County News Release</p>	<p>Tuesday March 3 6:30 P.M.</p>	<p>Cuyahoga County Public Library 27403 Lorain Road North Olmsted, Ohio</p>
<p>Division of Air Pollution Control Proposed rules to consolidate Ohio's ambient air quality standards Public Notice</p>	<p>Thursday March 5 10:30 A.M.</p>	<p>Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio</p>
<p>Preble County Landfill Solid waste permit Proposed expansion News Release</p>	<p>Monday March 9 6:30 P.M.</p>	<p>Preble County Courthouse 101 East Main Street Eaton, Ohio</p>
<p>Division of Drinking and Ground Waters Proposed rules on requirements for underground injection control wells Contact: Mary McCarron</p>	<p>Tuesday March 10 10:00 A.M.</p>	<p>Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio</p>
<p>Fairport Harbor Dredging 401 Potential water quality impacts Lake County Contact: Caroline Markworth</p>	<p>Tuesday March 10 6:00 P.M.</p>	<p>Fairport Harbor Public Library 335 Vine Street Fairport Harbor, Ohio</p>
<p>Combined 401s: Schaffner seawall and pier West tower and pier and Panuto Seawall and pier Potential water quality impacts Lorain County Contact: Caroline Markworth</p>	<p>Thursday March 12 6:30 P.M.</p>	<p>Avon Lake Public Library 32649 Electric Blvd Avon Lake, Ohio</p>
<p>Ohio Department of Transportation 401 Water Quality Certification Potential impacts to wetlands and streams Holmes County Contact: Caroline Markworth</p>	<p>Thursday March 19 6:30 P.M.</p>	<p>Killbuck Township Community Room 340 North Main Street Killbuck Township, Ohio</p>
<p>Ashtabula Harbor Dredging 401 Water Quality Certification Potential water quality impacts Ashtabula County Contact: Caroline Markworth</p>	<p>Tuesday March 24 6:30 P.M.</p>	<p>Chamber of Commerce 4536 Main Avenue Ashtabula, Ohio</p>
<p>OVEC Kyger Creek Plant Landfill New residual waste landfill Gallia County Public Hearing Only News Release</p>	<p>Wednesday March 25 6:30 P.M.</p>	<p>River Valley High School Cafeteria 1428 Little Kyger Road Cheshire, Ohio</p>
<p>BASF Catalyst Draft air permit Lorain County Contact: Caroline Markworth</p>	<p>Wednesday March 25 6:30 P.M.</p>	<p>Elyria Public Library West River Branch 1194 West River Road North Elyria, Ohio</p>

Village of Roseville 401 Water Quality Certification Potential water quality impacts from constructing a raw drinking water well Perry and Muskingum Counties Contact: Jed Thorp	Tuesday March 31 6:00 P.M.	Roseville Community Center 13047 Karl Brown Road Roseville, Ohio
--	----------------------------------	--

April 2009		
Southington Schools Sewer Line Extention Potential Water Quality Impacts Trumbull County Contact: Caroline Markworth	Monday April 6 6:30 P.M.	Southington Christian Church 3285 State Route 534 Southington, Ohio
Lorain Harbor Dredging 401 Water Quality Certification Potential water quality impacts Lorain County Contact: Caroline Markworth	Tuesday April 7 6:30 P.M.	Lorain Public Library 351 Sixth Street Lorain, Ohio
Vista View Development Water Quality Certification Potential Water Quality Impacts Hamilton County Contact: Erika Wiggins	Thursday April 16 6:30 P.M.	Miami Township Hall 112 South Miami Avenue Cleves, Ohio

Public meetings for Feb. 2009

- **February 13, 2009--Ohio EPA Seeks Public Comments for Groundwater Designation for Hamilton County Property**
- **February 13, 2009--Ohio EPA Approves Cleanup of Former ODOT Garage in Ashland**
- **February 13, 2009--Public Meeting Scheduled Regarding Draft Permit Issued for Preble County Landfill Expansion**
- **February 17, 2009--Ohio EPA Requests Recognition of Improved Air Quality in Columbus and Cleveland/Akron; Public Hearings to be Held in March**
- **February 17, 2009--Ohio EPA Submits Plan to Address Regional Haze**
- **February 17, 2009--Ohio EPA Initiates, Approves Groundbreaking Agreement with Columbus Suburbs**
- **February 17, 2009--Ohio EPA Accepts Comments About Draft Air Permit for Biogas Production Facility in Columbus**
- **February 18, 2009--Air Pollution Control Violations Settlement for Mack Industries, Inc. in Medina County**
- **February 18, 2009--Public Meeting Scheduled Regarding Draft Air Permit Issued to Suburban Collision Center in Cuyahoga County**
- **February 18, 2009--Ohio EPA Approves Hamilton Investigation, Cleanup of Former Mercy Hospital Site**
- **February 19, 2009--Public Meeting Scheduled Regarding Draft Solid Waste Permit Issued to Ohio Valley Electric Corporation**
- **February 19, 2009--Ohio EPA Considering Options to Reduce Fish Mortality at Bay Shore Power Plant's Maumee Bay Water Intake**
- **February 19, 2009--Columbiana County Landfill to Immediately Cease Operations**

- **February 19, 2009--Ohio EPA Issues Franklin County Property Owner Another Covenant Not to Sue**

ALLEN COUNTY: NOTHING THIS WEEK.

AUGLAIZE COUNTY: NOTHING THIS WEEK.

CRAWFORD COUNTY: NOTHING THIS WEEK.

DEFIANCE COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL

E. LOUISE HAMMERSMITH, TRUSTEE

STADIUM DRIVE EAST OF WEBSTER ST

DEFIANCE

OH ACTION DATE : 02/19/2009

FACILITY DESCRIPTION: WASTEWATER

IDENTIFICATION NO. : 702075

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. SANITARY SEWER EXTENSION FOR STADIUM DRIVE FROM WEBSTER STREET TO CARPENTER ROAD

FINAL ISSUANCE OF RENEWAL OF NPDES PERMIT

DIEHL INC

24 N CLINTON ST

DEFIANCE

OH ACTION DATE : 04/01/2009

RECEIVING WATERS: MAUMEE RIVER

FACILITY DESCRIPTION: FOOD PROCESSOR

IDENTIFICATION NO. : 2IH00057*HD

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC.

ERIE COUNTY:

PORTABLE SOURCE RELOCATION APPROVAL

NPN

GERKEN MATERIALS INC.

9-051 US RTE 24

NAPOLEON

OH ACTION DATE : 02/13/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : REL00395

FINAL APPROVAL FOR A REQUEST TO RELOCATE A PORTABLE AIR CONTAMINANT SOURCE FOR THE FACILITY GIVEN ABOVE HAS BEEN ISSUED. FOR ADDITIONAL DETAILS PLEASE SEE THE PUBLIC NOTICE IN THE LOCAL COUNTY NEWSPAPER. ALL COMMENTS, QUESTIONS, REQUESTS FOR PERTINENT INFORMATION AND DOCUMENTATION CONCERNING THIS ACTION MUST BE DIRECTED TO DONALD WALTERMEYER AT OHIO EPA DAPC, NORTHWEST DISTRICT OFFICE, 347 NORTH DUNBRIDGE ROAD OR (419)352-8461. A COPY OF THE ISSUED DOCUMENT CAN BE DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

FULTON COUNTY:

PROPOSED ISSUANCE OF MODIFICATION TO NPDES PERMIT CONDITIONS

SWANTON WWTP

200 SOUTH ST

SWANTON

OH ACTION DATE : 02/23/2009

RECEIVING WATERS: AI CREEK

FACILITY DESCRIPTION: MUNICIPALITY

IDENTIFICATION NO. : 2PB00025*ID

ADD DIRECTORS DECISION STATEMENT ON PAGE 1; DELETE INTERIM TABLE FOR 001; REVISED DATES AND LIMITS AND NOTES SECTION IN OUTFALL FINAL OUTFALL 001; ADD MERCURY, TOTAL (LOW LEVEL) TO OUTFALL 601; REVISED SCHEDULE OF COMPLIANCE AND PART II, ITEM A. THE VILLAGE OF SWANTON HAS APPLIED FOR A VARIANCE FROM WATER-QUALITY BASED LIMITS FOR MERCURY UNDER OAC RULE 3745-33-07. THE DIRECTOR IS PROVIDING PUBLIC NOTICE FOR A PRELIMINARY DECISION TO APPROVE THIS VARIANCE REQUEST. THE VARIANCE APPLICATION AND SUPPORTING MATERIALS CAN BE VIEWED AT OEPA

HANCOCK COUNTY:

LAND APPLICATION MANAGEMENT PLAN APPROVAL

BLANCHARD VALLEY FARMERS CO-OP

3864 STATE ROUTE 613

MCCOMB OH 45858

OH ACTION DATE : 02/18/2009

FACILITY DESCRIPTION: MISCELLANEOUS

IDENTIFICATION NO. : 2MP00005*AM

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. REGIONAL STORAGE, DISTRIBUTION/LAND APPLICATION OF N-VIRO SOIL PRODUCED BY N-VIRO INTERNATIONALS TOLEDO OHIO FACILITY.

HARDIN COUNTY: NOTHING THIS WEEK.

HENRY COUNTY:

APPLICATION RECEIVED FOR AIR PERMIT
GARDENSCAPE INC.

U-856, SR 66 SOUTH
ARCHBOLD OH ACTION DATE : 02/09/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037009
PERMITTING OF PORTABLE SCREEN WITH ASSOCIATED STORAGE PILES AND
PAVED + UNPAVED ROADWAYS

LUCAS COUNTY:

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE
OHIO AIR NATIONAL GUARD
2660 SOUTH EBER ROAD
SWANTON OH ACTION DATE : 02/18/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104232
PTI 04-01493 WAS ISSUED ON 5/22/08 FOR P001. A FIRST-ISSUE PTO WAS
NEVER ISSUED. THIS PTIO SERVES AS A FIRST-ISSUE PTO.

DRAFT OAC CHAPTER 3745-31 MODIFICATION OF PERMIT-TO-INSTALL AND
OPERATE

NPN STONECO PLANT # 110
1360 FORD ST
MAUMEE OH ACTION DATE : 02/17/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104346
CHRIS KORLESKI, DIRECTOR OF THE OHIO ENVIRONMENTAL PROTECTION
AGENCY, 50 WEST TOWN STREET, COLUMBUS OHIO HAS ISSUED A DRAFT ACTION
OF AN AIR POLLUTION CONTROL, FEDERALLY ENFORCEABLE PERMIT-TO-INSTALL
AND OPERATE (PTIO) FOR THE FACILITY AT THE LOCATION IDENTIFIED ABOVE
ON THE DATE INDICATED. COMMENTS CONCERNING THIS DRAFT ACTION, OR A
REQUEST FOR A PUBLIC MEETING, MUST BE SENT IN WRITING NO LATER THAN
THIRTY (30) DAYS FROM THE DATE THIS NOTICE IS PUBLISHED. ALL
COMMENTS, QUESTIONS, REQUESTS FOR PERMIT APPLICATIONS OR OTHER
PERTINENT DOCUMENTATION, AND CORRESPONDENCE CONCERNING THIS ACTION
MUST BE DIRECTED TO MARY LEHMAN-SCHMIDT AT TOLEDO DEPARTMENT OF
ENVIRONMENTAL SERVICES, 348 SOUTH ERIE STREET OR (419)936-3015. THE
PERMIT CAN BE DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

TITLE IV ACID RAIN PERMIT APPLICATION RECEIVED

TOLEDO EDISON CO., **BAY SHORE PLANT**
4701 BAY SHORE ROAD
OREGON OH ACTION DATE : 10/31/2002
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037042
RENEWAL OF TITLE IV ACID RAIN PERMIT

OTTAWA COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL
DALE SANDERS D.B.A. MARINE CITY
7401 EAST HARBOR ROAD
DANBURY TWP. OH ACTION DATE : 02/19/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 421658

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. AS-BUILT SEWERAGE FACILITIES FOR MARINE CITY MARINA AT 7401

EAST HARBOR ROAD

PAULDING COUNTY:

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE
ANTWERP EQUITY EXCHANGE COMPANY
103 S. CLEVELAND STREET
ANTWERP OH ACTION DATE : 02/18/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0087429
4000 BUSHEL/HR GRAIN DRYER

PUTNAM COUNTY: NOTHING THIS WEEK.

SANDUSKY COUNTY:

FINAL ISSUANCE OF NPDES PERMIT
US 6 23 RETAIL SALES INC
7582 US 6
GIBSONBURG OH ACTION DATE : 04/01/2009
RECEIVING WATERS: UNNAMED DITCH
FACILITY DESCRIPTION: SEMI-PUBLIC < 0.05 MGD
IDENTIFICATION NO. : 2PR00202*AD
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC.

VAN WERT COUNTY: NOTHING THIS WEEK.

WILLIAMS COUNTY:

FINAL ISSUANCE OF ADMINISTRATIVE MODIFICATION TO PERMIT-TO-INSTALL
ALLIED MOULDED PRODUCTS, INC.
P.O. BOX 587
BRYAN OH ACTION DATE : 02/18/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0103671
1000 LBS/HR INJECTION PRESSES (ADMINISTRATIVE MODIFICATION TO PTI
03-16162, ISSUED ON 8/24/04 TO ALLOW FOR CHANGE IN PERMIT
ALLOWABLES).

WOOD COUNTY:

APPLICATION FOR NPDES PERMIT
NPN **EVANSVILLE WESTERN RAILROAD** (CSX) WWTP
DESHLER RD
NORTH BALTIMORE OH ACTION DATE : 10/10/2008
RECEIVING WATERS: RADER CREEK TRIBUTARY
FACILITY DESCRIPTION: COUNTY
IDENTIFICATION NO. : 2PG00117*AD

APPLICATION RECEIVED FOR AIR PERMIT
HANSON AGGREGATES MIDWEST, INC.
INTERSECTION OF MITCHELL & NEEDLES ROADS
NORTH BALTIMORE OH ACTION DATE : 02/17/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037037
INSTALLATION OF MINERAL EXTRACTION OPERATIONS W/ ASSOCIATED ROADWAYS
AND PARKING AREAS

WYANDOT COUNTY: NOTHING THIS WEEK.

Northwest OH WK #17
week ending Feb. 26, 2009

Friends in Northwest Ohio.

OHEJ allies like you made it clear in the EJ forums we held in 2007 that public notice in places people actually see/read is important. OHEJ allies have taken these citizen recommendations to OEPA, and are working for reform in this area. Stay tuned!

The information below is provided in order for you to see what is going on in Northwest Ohio. You will notice that some things have been highlighted to draw your attention to these items.

Key, **(PN)**=In Public Notice. **(NPN)**=Not in Public Notice. **Yellow**= Application for new permit received **Green**=Pending draft action, pay close attention. **RED**=Final permit no chance for public comment.

Factory Farms NOTHING LAST WEEK.

Public Meetings

March 2009		
Ozone Nonattainment Redesignation and Maintenance Plan Columbus Area News Release	Monday March 2 2:30 P.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio
Ozone Nonattainment Redesignation and Maintenance Plan Cleveland-Akron-Lorain Area News Release	Tuesday March 3 2:30 P.M.	Ohio EPA Northeast District Office 2110 East Aurora Road Twinsburg, Ohio
First Energy Bayshore Plant Information on studies regarding entrapment and entrainment at the power plant's water intake Lucas County Information Session Only News Release	Tuesday March 3 6:30-8:15 P.M.	Wynn Elementary School Gymnasium 5224 Bay Shore Road Oregon, Ohio
Suburban Collision Center Draft air permit Automotive body, paint and interior repair and maintenance facility Cuyahoga County News Release	Tuesday March 3 6:30 P.M.	Cuyahoga County Public Library 27403 Lorain Road North Olmsted, Ohio
Division of Air Pollution Control Proposed rules to consolidate Ohio's ambient air quality standards Public Notice	Thursday March 5 10:30 A.M.	Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio

<p>Preble County Landfill Solid waste permit Proposed expansion News Release</p>	<p>Monday March 9 6:30 P.M.</p>	<p>Preble County Courthouse 101 East Main Street Eaton, Ohio</p>
<p>Division of Drinking and Ground Waters Proposed rules on requirements for underground injection control wells Contact: Mary McCarron</p>	<p>Tuesday March 10 10:00 A.M.</p>	<p>Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio</p>
<p>Fairport Harbor Dredging 401 Potential water quality impacts Lake County News Release</p>	<p>Tuesday March 10 6:00 P.M.</p>	<p>Fairport Harbor Public Library 335 Vine Street Fairport Harbor, Ohio</p>
<p>Combined 401s: Schaffner seawall and pier West tower and pier and Panuto Seawall and pier Potential water quality impacts Lorain County News Release</p>	<p>Thursday March 12 6:30 P.M.</p>	<p>Avon Lake Public Library 32649 Electric Blvd Avon Lake, Ohio</p>
<p>Ohio Department of Transportation 401 Water Quality Certification Potential impacts to wetlands and streams Holmes County Contact: Caroline Markworth</p>	<p>Thursday March 19 6:30 P.M.</p>	<p>Killbuck Township Community Room 340 North Main Street Killbuck Township, Ohio</p>
<p>Ashtabula Harbor Dredging 401 Water Quality Certification Potential water quality impacts Ashtabula County Contact: Caroline Markworth</p>	<p>Tuesday March 24 6:30 P.M.</p>	<p>Chamber of Commerce 4536 Main Avenue Ashtabula, Ohio</p>
<p>OVEC Kyger Creek Plant Landfill New residual waste landfill Gallia County Public Hearing Only News Release</p>	<p>Wednesday March 25 6:30 P.M.</p>	<p>River Valley High School Cafeteria 1428 Little Kyger Road Cheshire, Ohio</p>
<p>BASF Catalyst Draft air permit Lorain County Contact: Caroline Markworth</p>	<p>Wednesday March 25 6:30 P.M.</p>	<p>Elyria Public Library West River Branch 1194 West River Road North Elyria, Ohio</p>
<p>Village of Roseville 401 Water Quality Certification Potential water quality impacts from constructing a raw drinking water well Perry and Muskingum Counties Contact: Jed Thorp</p>	<p>Tuesday March 31 6:00 P.M.</p>	<p>Roseville Community Center 13047 Karl Brown Road Roseville, Ohio</p>

April 2009

Southington Schools Sewer Line Extention Potential Water Quality Impacts Trumbull County Contact: Caroline Markworth	Monday April 6 6:30 P.M.	Southington Christian Church 3285 State Route 534 Southington, Ohio
Lorain Harbor Dredging 401 Water Quality Certification Potential water quality impacts Lorain County Contact: Caroline Markworth	Tuesday April 7 6:30 P.M.	Lorain Public Library 351 Sixth Street Lorain, Ohio
Vista View Development Water Quality Certification Potential Water Quality Impacts Hamilton County Contact: Erika Wiggins	Thursday April 16 6:30 P.M	Miami Township Hall 112 South Miami Avenue Cleves, Ohio
Maumee River WWTP Discharge permit hearing Potential Water Quality Impacts Lucas County Contact: Darla Peelle	Thursday April 16 6:30 P.M	Waterville Council Chambers 25 North Second Street Waterville, Ohio
Cooper Power Systems Facility Groundwater Pump and Treatment Discharge permit and PTI hearing Potential Water Quality Impacts Muskingum County Contact: Jed Thorp	Monday April 20 6:00 P.M.	John McIntire Library 220 North Fifth Street Zanesville, Ohio

Press Releases

- **February 24, 2009--Public Meeting Scheduled Regarding Fairport Harbor Dredging Project**
- **February 25, 2009--Ohio EPA Approves Investigation, Cleanup for American Laundry Machinery Site**
- **February 27, 2009--Public Meeting Scheduled Regarding Three Proposed Lake Erie Shoreline Projects**
- **February 27, 2009--Ohio EPA Orders Ashland Business to Address Drinking Water Issues**
- **February 27, 2009--Ohio EPA Settles with Lake County Company for Hazardous Waste Violations**

ALLEN COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL

PN HUSKY LIMA REFINERY
 1150 S. METCALF STREET
 SHAWNEE TWP. OH ACTION DATE : 02/25/2009
 FACILITY DESCRIPTION: WASTEWATER
 IDENTIFICATION NO. : 703285

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
 TO ERAC. SANITARY SEWER FOR HUSKY LIMA REFINERYS NEW INSTRUMENTATION
 BUILDING AT 1150 SOUTH METCALF STREET

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN LIMA WATER CITY WATER
 50 TOWN SQUARE

LIMA OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 666384
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH0200811 PLAN NO:666384
REGARDINGHARTZLER ROAD/RACER WAY WATERLINE EXTENSION

PN LIMA WATER CITY WATER
50 TOWN SQUARE
LIMA OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 699828
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH0200811 PLAN NO:699828
REGARDINGRACER WAY SANITARY SEWER & WATERLINE EXTENSION

AUGLAIZE COUNTY:

FINAL ISSUANCE OF FINDINGS AND ORDERS

PN CROWN EQUIPMENT CORPORATION
2657 SOUTHLAND ROAD
NEW BREMEN, OH OH ACTION DATE : 02/26/2009
RECEIVING WATERS: DISPOSAL SYSTEM
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : CROWN
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. FINDINGS AND ORDERS.

FINAL ISSUANCE OF MODIFICATION TO NPDES PERMIT CONDITIONS

PN SAINT MARYS STP *
550 N HICKORY ST
ST MARYS OH ACTION DATE : 03/01/2009
RECEIVING WATERS: ST. MARYS RIVER
FACILITY DESCRIPTION: MUNICIPALITY
IDENTIFICATION NO. : 2PD00026*QD
THIS ACTION WAS PRECEDED BY A PROPOSED ACTION.

CRAWFORD COUNTY:

APPLICATION RENEWAL FOR NPDES PERMIT
NPN THE TIMKEN CO BUCYRUS BEARING PLANT
2325 E MANSFIELD ST
BUCYRUS OH ACTION DATE : 08/29/2008
RECEIVING WATERS: SANDUSKY RIVER
FACILITY DESCRIPTION: METAL FINISHING
IDENTIFICATION NO. : 2IC00046*HD

DEFIANCE COUNTY: NOTHING THIS WEEK

ERIE COUNTY:

FINAL ISSUANCE OF EXTENSION OF PERMIT TO INSTALL

PN HURON CEMENT PRODUCTS COMPANY INC.
617 MAIN STREET
HURON OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : EXT00209
TIME EXTENSION OF A PERMIT-TO-INSTALL (PTI) HAS BEEN ISSUED FOR THE
FACILITY INDICATED. **ACTION WAS NOT PRECEDED BY A PROPOSED** ACTION AND
MAY BE APPEALED. ALL COMMENTS, QUESTIONS, REQUESTS FOR PERTINENT
INFORMATION AND DOCUMENTATION CONCERNING THIS ACTION MUST BE
DIRECTED TO DONALD WALTERMEYER AT OHIO EPA DAPC, NORTHWEST DISTRICT
OFFICE, 347 NORTH DUNBRIDGE ROAD OR (419)352-8461. A COPY OF THE

TIME EXTENSION CAN BE DOWNLOADED FROM THE WEB PAGE:
WWW.EPA.STATE.OH.US/DAPC

FINAL ISSUANCE OF MODIFICATION TO NPDES PERMIT CONDITIONS

PN KELLEYS ISLAND STATE PARK CAMPGROUND
DIVISION ST
KELLEYS ISLAND OH ACTION DATE : 03/01/2009
RECEIVING WATERS: N POND TO LAKE ERIE
FACILITY DESCRIPTION: STATE
IDENTIFICATION NO. : 2PP00042*ED
THIS ACTION WAS PRECEDED BY A PROPOSED ACTION.

FINAL ISSUANCE OF PERMIT TO INSTALL

PN ERIE COUNTY DEPARTMENT OF ENVIRONMENTAL SERVICES
US 250 S. OF BOGART TO OHIO TURNPIKE
PERKINS TWP. OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 699082
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. SANITARY SEWERS, FORCE MAINS & PUMP STATIONS IN US ROUTE
250, HOOVER ROAD AND MASON ROAD

OAC RULE 3745-27-40 APPROVAL

PN BARNES NURSERY, INC., YARD WASTE RECOVERY DIVISION
3511 CLEVELAND ROAD WEST
HURON, OH 44839 OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: COMPOST
IDENTIFICATION NO. : 22-C2R-0001
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES
MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO
OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN:
SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049,
TEL: (614)644-2621. PURSUANT TO OAC RULE 3745-27-40, NOTICE IS
HEREBY GIVEN THAT ON FEBRUARY 24, 2009, THE DIRECTOR OF OHIO EPA
APPROVED A REQUEST FROM BARNES NURSERY, INC., 3511 CLEVELAND ROAD
WEST, HURON, OH 44839, TO UTILIZE AN ALTERNATIVE BULKING AGENT
CONSISTING OF SPENT SHEET FILTERS USED FOR FILTRATION IN THE BEER
MAKING PROCESS, AT THEIR YARD WASTE RECOVERY DIVISION CLASS II SOLID
WASTE COMPOSTING FACILITY (FACILITY). THE FACILITY IS LOCATED AT
1630 CAMP ROAD IN HURON, ERIE COUNTY, OHIO. THIS APPROVAL IS SUBJECT
TO ALL RULES, REGULATIONS, AND SPECIFIED CONDITIONS.

FULTON COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL

PN WAUSEON SENIOR VILLAGE, LLC
EAST SIDE OF GLENWOOD AVENUE
WAUSEON OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 688655
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. SANITARY SEWER FOR WAUSEON SENIOR VILLAGE ON GLENWOOD AVENUE

HANCOCK COUNTY:

FINAL ISSUANCE OF AMENDED REGISTRATION CERTIFICATE AS A GENERATOR OF
INFECTIOUS WASTE

PN BLANCHARD VALLEY HEALTH SYSTEM
1900 S MAIN ST
FINDLAY OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: INFECTIOUS WASTE
IDENTIFICATION NO. : 32-G-00036
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE

TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN: SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049, TEL: (614)644-2621.

HARDIN COUNTY: NOTHING THIS WEEK.

HENRY COUNTY:

APPLICATION RENEWAL FOR NPDES PERMIT
NPN UNIVERSAL COOPERATIVES INC
1253 INDEPENDENCE DR
NAPOLEON OH ACTION DATE : 12/24/2008
RECEIVING WATERS: MAUMEE RIVER
FACILITY DESCRIPTION: ORGANIC CHEMICAL PLANT
IDENTIFICATION NO. : 2IF00019*FD

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN DESHLER VILLAGE
101 E MAIN ST
DESHLER OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 703093
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH3500112 PLAN NO:703093
REGARDINGWATERLINE

PN NAPOLEON CITY
PO BOX 151
NAPOLEON OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 703278
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH3500811 PLAN NO:703278
REGARDINGWASHINGTON STREET WATERLINE

LUCAS COUNTY:

FINAL ISSUANCE OF FINDINGS AND ORDERS

PN SQUIRES DEVELOPMENT COMPANY LTD.
7371 WEST BANCROFT STREET
TOLEDO, OH OH ACTION DATE : 02/26/2009
RECEIVING WATERS: DISPOSAL SYSTEM
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : SQUIRES
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. FINDINGS AND ORDERS.

FINAL ISSUANCE OF REGISTRATION CERTIFICATE AS A GENERATOR OF
INFECTIOUS WASTE

PN NW OHIO INTEGRATED LABORATORIES
2222 CHERRY ST
TOLEDO OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: INFECTIOUS WASTE
IDENTIFICATION NO. : 48-G-01188
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES
MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO
OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN:
SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049,
TEL: (614)644-2621.

FINAL ISSUANCE OF REVOCATION OF PERMIT TO INSTALL

PN AMERICAN PETROLEUM #1C
3730 MONROE ST.
TOLEDO OH ACTION DATE : 02/20/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : RVK00685
FINAL REVOCATION OF A PERMIT-TO-INSTALL (PTI) HAS BEEN ISSUED FOR THE FACILITY INDICATED. REQUESTS FOR PERTINENT INFORMATION AND DOCUMENTATION CONCERNING THIS ACTION MUST BE DIRECTED TO MARY LEHMAN-SCHMIDT AT TOLEDO DEPARTMENT OF ENVIRONMENTAL SERVICES, 348 SOUTH ERIE STREET OR (419)936-3015. THE PERMIT REVOCATION CAN BE DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

PN KUHLMAN CORP., CONCYCLE MATERIALS DIV
199 EDWIN DRIVE
TOLEDO OH ACTION DATE : 02/20/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : RVK00686
FINAL REVOCATION OF A PERMIT-TO-INSTALL (PTI) HAS BEEN ISSUED FOR THE FACILITY INDICATED. REQUESTS FOR PERTINENT INFORMATION AND DOCUMENTATION CONCERNING THIS ACTION MUST BE DIRECTED TO MARY LEHMAN-SCHMIDT AT TOLEDO DEPARTMENT OF ENVIRONMENTAL SERVICES, 348 SOUTH ERIE STREET OR (419)936-3015. THE PERMIT REVOCATION CAN BE DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

PN MAX MART SUNOCO
310 ALEXIS RD.
TOLEDO OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : RVK00668
FINAL REVOCATION OF A PERMIT-TO-INSTALL (PTI) HAS BEEN ISSUED FOR THE FACILITY INDICATED. REQUESTS FOR PERTINENT INFORMATION AND DOCUMENTATION CONCERNING THIS ACTION MUST BE DIRECTED TO MARY LEHMAN-SCHMIDT AT TOLEDO DEPARTMENT OF ENVIRONMENTAL SERVICES, 348 SOUTH ERIE STREET OR (419)936-3015. THE PERMIT REVOCATION CAN BE DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

APPLICATION RENEWAL FOR NPDES PERMIT

NPN FENNER DUNLOP TOLEDO LLC
146 S WESTWOOD AVE
TOLEDO OH ACTION DATE : 12/16/2008
RECEIVING WATERS: UNAMED TRIB TO SWAN CREEK
FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 2IN00207*CD

NPN LIBBEY GLASS INC-TOLEDO PLANT 27
940 ASH ST
TOLEDO OH ACTION DATE : 11/07/2008
RECEIVING WATERS: MAUMEE RIVER
FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 2IN00075*ED

APPROVED PERMISSION FOR OPEN BURNING OAC CHAPTER 3745-19

PN BUCHER FARMS
5702 EBER RD
WHITEHOUSE, OH 43571 OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : 019-022309
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. OPEN BURN PERMIT FOR AGRICULTURAL WASTE AT BUCHER FARMS. BURNING TO OCCUR WHEN WEATHER PERMITS, IN AN AREA 1,000 FT AWAY FROM INHABITED BUILDINGS AND LOCAL FIRE DEPARTMENT TO BE CONTACTED.

FINAL ISSUANCE OF CERTIFICATION

PN OHIO DEPARTMENT OF TRANSPORTATION
1980 WEST BROAD STREET
COLUMBUS, OH 43223 OH ACTION DATE : 02/26/2009
RECEIVING WATERS: LAKE ERIE TRIBUTARIES
FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 083466
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. GRANT OF SECTION 401 WATER QUALITY CERTIFICATION FOR A
PROJECT TO RECONSTRUCT THE STATEE ROUTE 2 AND HOWARD ROAD
INTERSECTION.

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN KUHLMAN CORP., CONCYCLE MATERIALS DIV
199 EDWIN DRIVE
TOLEDO OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104443
P001 - 175 KW DIESEL GENERATOR RUNNING A CRUSHING PLANT (F001 -
CURRENTLY PERMITTED UNDER PBR) LOCATED AT CONCYCLE FACILITY AT 199
EDWIN DR., TOLEDO, OHIO 43609.

PN RIETER AUTOMOTIVE NORTH AMERICA INC
645 N LALLENDORF RD
OREGON OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0088543
DOA FIBER LINE 92

FINAL ISSUANCE OF ADMINISTRATIVE MODIFICATION TO PERMIT-TO-INSTALL

PN SUN COMPANY, INC.
1819 WOODVILLE ROAD
OREGON OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0103642
THIS 2ND PTI MODIFICATION INCORPORATES CHANGES TO EQUIPMENT THAT
WILL BE INSTALLED ON THE FLARE (P009) AND COOLING TOWER (P040)
DURING THE EXPANSION PROJECT. IT ALSO INCORPORATES THE
MANUFACTURER'S GUARANTEE FOR ALLOWABLE EMISSION LIMITATIONS ON THE
NEW SRU (P041).

APPLICATION RECEIVED FOR AIR PERMIT

PN **MAUMEE RIVER WASTEWATER** TREATMENT PLANT
5758 N. RIVER RD.
WATERVILLE OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037088
RENEWAL OF PTO FOR 2 COGENERATION UNITS

PN **SHELL TERMINAL** - TOLEDO
2844 NORTH SUMMIT STREET
TOLEDO OH ACTION DATE : 01/15/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037062
REMEDIATION SYSTEM

OTTAWA COUNTY :

FINAL ISSUANCE OF PERMIT TO INSTALL

PN WILLOW COVE ASSOCIATION
HARBORVIEW DRIVE S. OF BAY SHORE ROAD
DANBURY TWP. OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 686943

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. SANITARY SEWERS FOR WILLOW COVE OFF BAYSHORE ROAD

PAULDING COUNTY:

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN COUNTRY INN ENHANCED LIVING CENTER
12651 COUNTY ROAD 82
PAULDING OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 656771

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH6333512 PLAN NO:656771
REGARDINGCORROSION CONTROL FEED SYSTEM IMPROVEMENTS

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN ATLAS ALCHEM PLASTICS INC
925 W GASSER RD
PAULDING OH ACTION DATE : 02/25/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0087428
PTIO RENEWAL FOR PLASTIC PELLET EXTRUSION UNIT.

PUTNAM COUNTY:

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN PROGRESSIVE STAMPING, INC.
200 PROGRESSIVE DRIVE
OTTOVILLE OH ACTION DATE : 02/25/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0087453
PTIO RENEWAL.

SANDUSKY COUNTY:

PROPOSED ISSUANCE OF MODIFICATION TO NPDES PERMIT CONDITIONS

PN **FREMONT WPCF**
1019 SAND RD
FREMONT OH ACTION DATE : 03/03/2009
RECEIVING WATERS: SANDUSKY RIVER
FACILITY DESCRIPTION: MUNICIPALITY
IDENTIFICATION NO. : 2PD00007*PD
REVISE DATES ON PAGES 2,4,6; PART I,C. MARK MERCURY VARIANCE
SCHEDULE AS COMPLETED AND PART I,C. B. HAS BEEN REMOVED.

APPLICATION OF TITLE V PERMIT

PN **EATON INOAC CO**
1410 MOTOR DRIVE
FREMONT OH ACTION DATE : 02/20/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0035751
A PERMIT APPLICATION IS BEING SUBMITTED FOR THE RENEWAL OF AN
EXISTING TITLE V PERMIT HELD BY THE EATON INOAC CO.

DRAFT PERMIT TO INSTALL - SUBJECT TO REVISION

PN **CITY OF FREMONT**
323 SOUTH FRONT ST.
FREMONT, OH OH ACTION DATE : 03/03/2009
RECEIVING WATERS: SANDUSKY RIVER
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 644418
DRAFT LONG TERM CONTROL PLAN

APPLICATION RECEIVED FOR AIR PERMIT

PN GREEN BAY PACKAGING INC FREMONT DIVISION
2323 COMMERCE DR
FREMONT OH ACTION DATE : 02/26/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037057
RENEW PERMIT FOR PARTICULATE EMISSION FROM SHREDDER/BAGHOUSE P002

ALTERNATIVE TEST PREPARATION METHOD APPROVAL

PN SBERNA STABLES AND FARMS
6690 COUNTY ROAD 219
BELLEVUE, OHIO 44811 OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: COMPOST
IDENTIFICATION NO. : 72-C3R-0937
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES
MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO
OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN:
SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049,
TEL: (614)644-2621. NOTICE IS HEREBY GIVEN THAT ON FEBRUARY 24,
2009, THE DIRECTOR OF OHIO EPA APPROVES A REQUEST SUBMITTED BY
SBERNA STABLES AND FARMS, 6690 COUNTY ROAD 219, BELLEVUE, OH 44811,
TO USE AN ALTERNATIVE TEST PREPARATION METHODOLOGY FOR THE HANDLING
OF SAMPLES COLLECTED FOR TESTING THE PARAMETERS IN TABLE 3 OF OAC
RULE 3745-27-46 AT THE SBERNA STABLES AND FARMS CLASS III COMPOSTING
FACILITY (FACILITY). THE FACILITY IS LOCATED AT 902 COUNTY ROAD 312
IN BELLEVUE, SANDUSKY COUNTY, OHIO. THIS APPROVAL IS SUBJECT TO ALL
RULES, REGULATIONS, AND SPECIFIED CONDITIONS.

VAN WERT COUNTY: NOTHING THIS WEEK.

WILLIAMS COUNTY: NOTHING THIS WEEK.

WOOD COUNTY:

APPLICATION OF TITLE V PERMIT
PN COOPER STANDARD AUTOMOTIVE, LLC
1175 NORTH MAIN STREET
BOWLING GREEN OH ACTION DATE : 02/26/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037011
TITLE V RENEWAL APPLICATION

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN BOWLING GREEN CITY WATER
PO BOX 388
BOWLING GREEN OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 687777
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH8700311 PLAN NO:687777
REGARDINGGENERAL PLAN FOR PLANT CAPACITY RERREATING

DRAFT OAC CHAPTER 3745-31 MODIFICATION OF PERMIT-TO-INSTALL AND
OPERATE

NPN SHELLY MATERIALS, PLANT # 128
12580 GREENSBURG PIKE
PORTAGE OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104309
CHRIS KORLESKI, DIRECTOR OF THE OHIO ENVIRONMENTAL PROTECTION
AGENCY, 50 WEST TOWN STREET, COLUMBUS OHIO HAS ISSUED A DRAFT ACTION
OF AN AIR POLLUTION CONTROL, FEDERALLY ENFORCEABLE PERMIT-TO-INSTALL

AND OPERATE (PTIO) FOR THE FACILITY AT THE LOCATION IDENTIFIED ABOVE ON THE DATE INDICATED. COMMENTS CONCERNING THIS DRAFT ACTION, OR A REQUEST FOR A PUBLIC MEETING, MUST BE SENT IN WRITING NO LATER THAN THIRTY (30) DAYS FROM THE DATE THIS NOTICE IS PUBLISHED. ALL COMMENTS, QUESTIONS, REQUESTS FOR PERMIT APPLICATIONS OR OTHER PERTINENT DOCUMENTATION, AND CORRESPONDENCE CONCERNING THIS ACTION MUST BE DIRECTED TO DONALD WALTERMEYER AT OHIO EPA DAPC, NORTHWEST DISTRICT OFFICE, 347 NORTH DUNBRIDGE ROAD OR (419)352-8461. THE PERMIT CAN BE DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

APPLICATION RECEIVED FOR AIR PERMIT

PN **CALPHALON GROUP, NEWELL - RUBBERMAID, INC.**
SE CORNER OF 3RD AND D ST
PERRYSBURG OH ACTION DATE : 02/26/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037058
AIR EMISSION PERMIT FOR HARD COAT ANODIZING LINE "B" AND POLYMER
COAT ANODIZING LINE WITH CURING OVEN

WYANDOT COUNTY:

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN **KALMBACH FEEDS, INC.**
PO BOX 38
UPPER SANDUSKY OH ACTION DATE : 02/25/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0087988
FEPTIO RENEWAL FOR TRUCK AND RAIL RECEIVING, BOILER, GRINDERS,
PELLETIZING SYSTEMS AND A GRAIN DRYER

APPLICATION RECEIVED FOR AIR PERMIT

PN **BRIDGESTONE APM COMPANY** - FOAM PRODUCTS DIVISION
245 COMMERCE WAY
UPPER SANDUSKY OH ACTION DATE : 02/20/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0036330
PERMIT MODIFICATION TO INCREASE THE SHORT TERM AND ANNUAL LIMIT FOR
MOLD RELEASE SPRAY, DECREASE ANNUAL LIMIT FOR POURING EMISSIONS AND
ADD EMISSIONS FOR PASTE WAX ON SEATLINE 2.

PN **ENDRES PROCESSING OHIO, LLC**
7150 SH 199
UPPER SANDUSKY OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037056
THIS REVISED APPLICATION REQUESTS MODIFICATION TO P903 AND F004.
ENDRES IS PROPOSING TO ADD ADDITIONAL CONTROL (CYCLONE) TO EXISTING
F004 AND MODIFY THE EXISTING PROCESS P903 (UPDATE CONTROL TYPE AND
EMISSIONS).