

Southwest OH 2 WK #16
week ending Feb. 19, 2009

Friends in Southwest Ohio.

OHEJ allies like you made it clear in the EJ forums we held in 2007 that public notice in places people actually see/read is important. OHEJ allies have taken these citizen recommendations to OEPA, and are working for reform in this area. Stay tuned!

The information below is provided in order for you to see what is going on in Southwest Ohio. You will notice that some things have been highlighted to draw your attention to these items.

Key, (PN)=In Public Notice. (NPN)=Not in Public Notice. Yellow= Application for new permit received
 Green=Pending draft action, pay close attention. RED=Final permit no chance for public comment.

Factory Farms NONE LISTED LAST WEEK

Public meetings for Feb. and March, 2009

February 2009		
Division of Surface Water Proposed Wastewater Permit to Install Rules Related Information	Tuesday February 24 10:30 A.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio
Division of Air Pollution Control Ohio's Regional Haze State Implementation Plan submitted to U.S. EPA Public Notice	Thursday February 26 3:30 P.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio
Sandusky Harbor Dredging 401 Potential Water Quality Impacts Contact: Darla Peelle	Thursday February 26 6:30 P.M.	Sandusky City Hall 222 Meigs Street Sandusky, Ohio

MARCH 2009

Ozone Nonattainment Redesignation and Maintenance Plan Columbus Area News Release	Monday March 2 2:30 P.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio
Ozone Nonattainment Redesignation and Maintenance Plan Cleveland-Akron-Lorain Area News Release	Tuesday March 3 2:30 P.M.	Ohio EPA Northeast District Office 2110 East Aurora Road Twinsburg, Ohio
First Energy Bayshore Plant Information on studies regarding entrapment and entrainment at the power plant's water intake Lucas County Information Session Only News Release	Tuesday March 3 6:30-8:15 P.M.	Wynn Elementary School Gymnasium 5224 Bay Shore Road Oregon, Ohio

<p>Suburban Collision Center Draft air permit Automotive body, paint and interior repair and maintenance facility Cuyahoga County News Release</p>	<p>Tuesday March 3 6:30 P.M.</p>	<p>Cuyahoga County Public Library 27403 Lorain Road North Olmsted, Ohio</p>
<p>Division of Air Pollution Control Proposed rules to consolidate Ohio's ambient air quality standards Public Notice</p>	<p>Thursday March 5 10:30 A.M.</p>	<p>Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio</p>
<p>Preble County Landfill Solid waste permit Proposed expansion News Release</p>	<p>Monday March 9 6:30 P.M.</p>	<p>Preble County Courthouse 101 East Main Street Eaton, Ohio</p>
<p>Division of Drinking and Ground Waters Proposed rules on requirements for underground injection control wells Contact: Mary McCarron</p>	<p>Tuesday March 10 10:00 A.M.</p>	<p>Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio</p>
<p>Fairport Harbor Dredging 401 Potential water quality impacts Lake County Contact: Caroline Markworth</p>	<p>Tuesday March 10 6:00 P.M.</p>	<p>Fairport Harbor Public Library 335 Vine Street Fairport Harbor, Ohio</p>
<p>Combined 401s: Schaffner seawall and pier West tower and pier and Panuto Seawall and pier Potential water quality impacts Lorain County Contact: Caroline Markworth</p>	<p>Thursday March 12 6:30 P.M.</p>	<p>Avon Lake Public Library 32649 Electric Blvd Avon Lake, Ohio</p>
<p>Ohio Department of Transportation 401 Water Quality Certification Potential impacts to wetlands and streams Holmes County Contact: Caroline Markworth</p>	<p>Thursday March 19 6:30 P.M.</p>	<p>Killbuck Township Community Room 340 North Main Street Killbuck Township, Ohio</p>
<p>Ashtabula Harbor Dredging 401 Water Quality Certification Potential water quality impacts Ashtabula County Contact: Caroline Markworth</p>	<p>Tuesday March 24 6:30 P.M.</p>	<p>Chamber of Commerce 4536 Main Avenue Ashtabula, Ohio</p>
<p>OVEC Kyger Creek Plant Landfill New residual waste landfill Gallia County Public Hearing Only News Release</p>	<p>Wednesday March 25 6:30 P.M.</p>	<p>River Valley High School Cafeteria 1428 Little Kyger Road Cheshire, Ohio</p>
<p>BASF Catalyst Draft air permit Lorain County Contact: Caroline Markworth</p>	<p>Wednesday March 25 6:30 P.M.</p>	<p>Elyria Public Library West River Branch 1194 West River Road North Elyria, Ohio</p>

Village of Roseville 401 Water Quality Certification Potential water quality impacts from constructing a raw drinking water well Perry and Muskingum Counties Contact: Jed Thorp	Tuesday March 31 6:00 P.M.	Roseville Community Center 13047 Karl Brown Road Roseville, Ohio
--	----------------------------------	--

April 2009		
Southington Schools Sewer Line Extention Potential Water Quality Impacts Trumbull County Contact: Caroline Markworth	Monday April 6 6:30 P.M.	Southington Christian Church 3285 State Route 534 Southington, Ohio
Lorain Harbor Dredging 401 Water Quality Certification Potential water quality impacts Lorain County Contact: Caroline Markworth	Tuesday April 7 6:30 P.M.	Lorain Public Library 351 Sixth Street Lorain, Ohio
Vista View Development Water Quality Certification Potential Water Quality Impacts Hamilton County Contact: Erika Wiggins	Thursday April 16 6:30 P.M.	Miami Township Hall 112 South Miami Avenue Cleves, Ohio

Public meetings for Feb. 2009

- **February 13, 2009--Ohio EPA Seeks Public Comments for Groundwater Designation for Hamilton County Property**
- **February 13, 2009--Ohio EPA Approves Cleanup of Former ODOT Garage in Ashland**
- **February 13, 2009--Public Meeting Scheduled Regarding Draft Permit Issued for Preble County Landfill Expansion**
- **February 17, 2009--Ohio EPA Requests Recognition of Improved Air Quality in Columbus and Cleveland/Akron; Public Hearings to be Held in March**
- **February 17, 2009--Ohio EPA Submits Plan to Address Regional Haze**
- **February 17, 2009--Ohio EPA Initiates, Approves Groundbreaking Agreement with Columbus Suburbs**
- **February 17, 2009--Ohio EPA Accepts Comments About Draft Air Permit for Biogas Production Facility in Columbus**
- **February 18, 2009--Air Pollution Control Violations Settlement for Mack Industries, Inc. in Medina County**
- **February 18, 2009--Public Meeting Scheduled Regarding Draft Air Permit Issued to Suburban Collision Center in Cuyahoga County**
- **February 18, 2009--Ohio EPA Approves Hamilton Investigation, Cleanup of Former Mercy Hospital Site**
- **February 19, 2009--Public Meeting Scheduled Regarding Draft Solid Waste Permit Issued to Ohio Valley Electric Corporation**
- **February 19, 2009--Ohio EPA Considering Options to Reduce Fish Mortality at Bay Shore Power Plant's Maumee Bay Water Intake**
- **February 19, 2009--Columbiana County Landfill to Immediately Cease Operations**

February 19, 2009--Ohio EPA Issues Franklin County Property Owner Another Covenant Not to Sue

AUGLAIZE COUNTY: NOTHING THIS WEEK.

CHAMPAIGN COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL
PN CITY OF URBANA

1679 EAST STATE ROUTE 29

URBANA

OH ACTION DATE : 02/19/2009

FACILITY DESCRIPTION: WASTEWATER

IDENTIFICATION NO. : 702524

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. SANITARY SEWER EXTENSION FOR CTCN AT 1679 EAST STATE ROUTE 29

CLARK COUNTY: NOTHING THIS WEEK.

DARKE COUNTY:

ISSUANCE OF DIRECTOR'S FINAL FIND/ORDERS APPROVING SOLID WASTE MGMT DISTRICT

PN DARKE COUNTY SOLID WASTE MANAGEMENT DISTRICT

520 SOUTH BROADWAY

GREENVILLE, OH 45331-7367

OH ACTION DATE : 02/19/2009

FACILITY DESCRIPTION: SOLID WASTE

IDENTIFICATION NO. : 19-SWMDP

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN: SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049, TEL: (614)644-2621. NOTICE IS HEREBY GIVEN THAT ON FEBRUARY 19, 2009, THE DIRECTOR OF OHIO EPA ISSUED FINAL FINDINGS AND ORDERS ("ORDERS") TO DARKE COUNTY SOLID WASTE MANAGEMENT DISTRICT, BOARD OF DIRECTORS, 520 SOUTH BROADWAY, GREENVILLE, OH 45331-7367. THE RATIFIED, DRAFT, AMENDED PLAN OF THE DISTRICT THAT WAS RECEIVED BY OHIO EPA ON FEBRUARY 18, 2009 IS HEREBY APPROVED. THIS APPROVAL IS SUBJECT TO ALL RULES, REGULATIONS, AND SPECIFIED CONDITIONS.

APPLICATION RECEIVED FOR AIR PERMIT

PN **JAFE DECORATING CO.** INC.

1250 MARTIN ST

GREENVILLE

OH ACTION DATE : 02/18/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : A0036584

THIS PTIO APPLICATION IS TO MODIFY PTI 08-04716 TO REFLECT CURRENT COATING OPERATIONS AND TO IDENTIFY AN OUTLET CONCENTRATION FOR THE CARBON ABSORBER WHICH REPRESENTS BREAKTHROUGH OF VOLATILE ORGANIC COMPOUNDS.

GREENE COUNTY: NOTHING THIS WEEK.

MADISON COUNTY:

APPROVED PERMISSION FOR OPEN BURNING OAC CHAPTER 3745-19

PN ERIC IMERMAN

217 ELM STREET, P. O. BOX 230

LONDON, OHIO 43140

OH ACTION DATE : 02/09/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : DEB21309C

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. THIS PERMISSION IS FOR THE BURNING OF 10 ACRES OF PRAIRIE AT LONDON HIGH SCHOOL, 336 ELM STREET, LONDON FOR THE PURPOSE OF RANGE MANAGEMENT. THIS PERMISSION IS MADE PURSUANT TO OHO ADMINISTRATIVE CODE RULE 3745-19-03(D) (4).

DRAFT NPDES PERMIT RENEWAL - SUBJECT TO REVISION

PN **GARY STITES** DBA SPRING VALLEY MHP

769 STATE RTE 42 SE

LONDON

OH ACTION DATE : 02/26/2009

RECEIVING WATERS: UNNAMED TRIBUTARY TO DEER CREEK

FACILITY DESCRIPTION: MOBILE HOME PARK

IDENTIFICATION NO. : 4PV00109*CD

MERCER COUNTY: NOTHING THIS WEEK.

MIAMI COUNTY: NOTHING THIS WEEK.

MONTGOMERY COUNTY:

FINAL ISSUANCE OF REVOCATION OF AIR PERMIT TO OPERATE

PN MORAINE DRIVE-THRU INC
2901 MAIN ST
MORAINE OH ACTION DATE : 02/18/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : RVK00683
FINAL REVOCATION OF A PERMIT-TO-OPERATE (PTO) HAS BEEN ISSUED FOR
THE FACILITY INDICATED. REQUESTS FOR PERTINENT INFORMATION AND
DOCUMENTATION CONCERNING THIS ACTION MUST BE DIRECTED TO LYNN
THOMPSON AT REGIONAL AIR POLLUTION CONTROL AGENCY, 117 SOUTH MAIN
STREET OR (937)225-4435. THE PERMIT REVOCATION CAN BE DOWNLOADED
FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN MONTGOMERY COUNTY WATER SERVICES 2 PWS
1850 SPAULDING RD
KETTERING OH ACTION DATE : 02/19/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 702430
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH5701503 PLAN NO:702430
REGARDING STONESPRING TRANSITIONAL CARE CENTER

APPLICATION RECEIVED FOR AIR PERMIT

PN **FLOWSERVE CORP** - DAYTON FOUNDRY OPERATIONS
700 NORTH IRWIN ST
DAYTON OH ACTION DATE : 02/04/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037017
INSTALLATION OF NEW SAND MOLD SHAKE OUT OPERATRION

PREBLE COUNTY:

APPROVED PERMISSION FOR OPEN BURNING OAC CHAPTER 3745-19

PN US FISH AND WILD LIFE
1708 CAMDEN COLLEGE CORNER
CAMDEN OH ACTION DATE : 01/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : MJB327

SHELBY COUNTY:

APPLICATION FOR ANTIDEGRADATION PROJECT

PN **SHELBY COUNTY SEWER DISTRICT**
3475 CANAL ROAD #1
MINSTER, OH 45865 OH ACTION DATE : 02/24/2009
RECEIVING WATERS: MILL BRANCH, GREAT MIAMI RIVER
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 1PT00083
ANTIDEGRADATION PROJECT AS DEFINED BY OAC 3745-1-05 - AN EXCLUSION
OR WAIVER IS NOT APPLICABLE. PROPOSED FAIR HAVEN WASTEWATER
TREATMENT PLANT EXPANSION. REQUESTS TO BE ON THE INTERESTED PARTIES
MAILING LIST SHOULD BE SUBMITTED WITHIN 30 DAYS TO OHIO EPA-DIVISION
OF SURFACE WATER, ATTENTION: PERMITS PROCESSING UNIT, 50 WEST TOWN
STREET, P.O. BOX 1049, COLUMBUS, OHIO 4316-1049.

APPLICATION FOR MODIFICATION TO NPDES PERMIT CONDITIONS

NPN **FAIR HAVEN SHELBY** CO HOME WWTP

2901 FAIR RD
SIDNEY OH ACTION DATE : 02/13/2009
RECEIVING WATERS: MILL BRANCH
FACILITY DESCRIPTION: EXPANSION
IDENTIFICATION NO. : 1PT00083*DD

APPROVED PERMISSION FOR OPEN BURNING OAC CHAPTER 3745-19

PN JAMES SCHEER
608 NORTH MAIN ST.
CELINA, OH 45822 OH ACTION DATE : 02/18/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : 246-09
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. THIS PERMISSION IS FOR THE BURNING OF 17 ACRES OF PRAIRIE
AT 21500 HERRING ROAD AND MAPLEWOOD ROAD, SALEM TOWNSHIP FOR RANGE
MANAGEMENT. THIS PERMISSION IS MADE PURSUANT TO OHIO ADMINISTRATIVE
CODE (OAC) 3745-19-04(C) (5).

DRAFT TITLE V AIR PERMIT TO OPERATE
NPN **IVEX PROTECTIVE** PACKAGING INC. (FORMERLY PROTEC PAC USA
P.O. BOX 4699
SIDNEY OH ACTION DATE : 02/18/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0088921
CHRIS KORLESKI, DIRECTOR OF THE OHIO ENVIRONMENTAL PROTECTION
AGENCY, 50 WEST TOWN STREET, COLUMBUS OHIO, HAS ISSUED A DRAFT
ACTION OF AN AIR POLLUTION CONTROL TITLE V OPERATING PERMIT FOR THE
FACILITY AT THE LOCATION IDENTIFIED ABOVE ON THE DATE INDICATED.
COMMENTS CONCERNING THIS DRAFT ACTION, OR A REQUEST FOR A PUBLIC
MEETING, MUST BE SENT IN WRITING NO LATER THAN THIRTY (30) DAYS FROM
THE DATE THIS NOTICE IS PUBLISHED. ALL COMMENTS, QUESTIONS, REQUESTS
FOR PERMIT APPLICATIONS OR OTHER PERTINENT DOCUMENTATION, AND
CORRESPONDENCE CONCERNING THIS ACTION MUST BE DIRECTED TO CRAIG
OSBORNE AT OHIO EPA DAPC, SOUTHWEST DISTRICT OFFICE, 401 EAST FIFTH
STREET OR (937)285-6357. THE PERMIT, WHICH INCLUDES A DETAILED
DESCRIPTION OF THE OPERATIONS, AND ASSOCIATED STATEMENT OF BASIS FOR
THE PERMIT REQUIREMENTS, CAN BE DOWNLOADED FROM THE WEB PAGE:
WWW.EPA.STATE.OH.US/DAPC

UNION COUNTY:

FINAL ISSUANCE OF REVOCATION OF PERMIT TO INSTALL

PN HONDA OF AMERICA MFG., INC., MARYSVILLE AUTO PLANT
24000 HONDA PARKWAY
MARYSVILLE OH ACTION DATE : 02/18/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : RVK00678
FINAL REVOCATION OF A PERMIT-TO-INSTALL (PTI) HAS BEEN ISSUED FOR
THE FACILITY INDICATED. REQUESTS FOR PERTINENT INFORMATION AND
DOCUMENTATION CONCERNING THIS ACTION MUST BE DIRECTED TO NATALIE
PARSONS AT OHIO EPA DAPC, CENTRAL DISTRICT OFFICE, 50 WEST TOWN
STREET, 6TH FLOOR P.O. BOX 1049 OR (614)728-3778. THE PERMIT
REVOCATION CAN BE DOWNLOADED FROM THE WEB PAGE:
WWW.EPA.STATE.OH.US/DAPC

DRAFT PERMIT TO INSTALL - SUBJECT TO REVISION

NPN **HONDA OF AMERICA MFG.**, INC., MARYSVILLE AUTO PLANT
24000 HONDA PARKWAY
MARYSVILLE OH ACTION DATE : 02/17/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104402
CHRIS KORLESKI, DIRECTOR OF THE OHIO ENVIRONMENTAL PROTECTION
AGENCY, 50 WEST TOWN STREET, COLUMBUS OHIO, HAS ISSUED A DRAFT
ACTION OF AN AIR POLLUTION CONTROL PERMIT-TO-INSTALL (PTI) FOR AN

AIR CONTAMINANT SOURCE AT THE LOCATION IDENTIFIED ABOVE ON THE DATE INDICATED. INSTALLATION OF THE AIR CONTAMINANT SOURCE MAY PROCEED UPON FINAL ISSUANCE OF THE PTI. COMMENTS CONCERNING THIS DRAFT ACTION, OR A REQUEST FOR A PUBLIC MEETING, MUST BE SENT IN WRITING NO LATER THAN THIRTY (30) DAYS FROM THE DATE THIS NOTICE IS PUBLISHED. ALL COMMENTS, QUESTIONS, REQUESTS FOR PERMIT APPLICATIONS OR OTHER PERTINENT DOCUMENTATION, AND CORRESPONDENCE CONCERNING THIS ACTION MUST BE DIRECTED TO NATALIE PARSONS AT OHIO EPA DAPC, CENTRAL DISTRICT OFFICE, 50 WEST TOWN STREET, 6TH FLOOR P.O. BOX 1049 OR (614)728-3778. THE PERMIT CAN BE DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN OLD STONE HAUS TAVERN PWS
 PO BOX 192
 BROADWAY OH ACTION DATE : 02/13/2009
 FACILITY DESCRIPTION: TRANSIENT WATER SYSTEM
 IDENTIFICATION NO. : 447193
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
 TO ERAC. DETAIL PLANS FOR PWSID:OH8031312 PLAN NO:447193
 REGARDINGOLD STONE HAUS TAVERN: NEW WELL

Southwest OH 2 WK #17
week ending Feb. 26, 2009

Friends in Southwest Ohio.

OHEJ allies like you made it clear in the EJ forums we held in 2007 that public notice in places people actually see/read is important. OHEJ allies have taken these citizen recommendations to OEPA, and are working for reform in this area. Stay tuned!

The information below is provided in order for you to see what is going on in Southwest Ohio. You will notice that some things have been highlighted to draw your attention to these items.

Key, **(PN)**=In Public Notice. **(NPN)**=Not in Public Notice. **Yellow**= Application for new permit received
Green=Pending draft action, pay close attention. **RED**=Final permit no chance for public comment.

Factory Farms NONE LISTED LAST WEEK
Public Meetings

March 2009		
Ozone Nonattainment Redesignation and Maintenance Plan Columbus Area News Release	Monday March 2 2:30 P.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio
Ozone Nonattainment Redesignation and Maintenance Plan Cleveland-Akron-Lorain Area News Release	Tuesday March 3 2:30 P.M.	Ohio EPA Northeast District Office 2110 East Aurora Road Twinsburg, Ohio

<p>First Energy Bayshore Plant Information on studies regarding entrapment and entrainment at the power plant's water intake Lucas County Information Session Only News Release</p>	<p>Tuesday March 3 6:30-8:15 P.M.</p>	<p>Wynn Elementary School Gymnasium 5224 Bay Shore Road Oregon, Ohio</p>
<p>Suburban Collision Center Draft air permit Automotive body, paint and interior repair and maintenance facility Cuyahoga County News Release</p>	<p>Tuesday March 3 6:30 P.M.</p>	<p>Cuyahoga County Public Library 27403 Lorain Road North Olmsted, Ohio</p>
<p>Division of Air Pollution Control Proposed rules to consolidate Ohio's ambient air quality standards Public Notice</p>	<p>Thursday March 5 10:30 A.M.</p>	<p>Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio</p>
<p>Preble County Landfill Solid waste permit Proposed expansion News Release</p>	<p>Monday March 9 6:30 P.M.</p>	<p>Preble County Courthouse 101 East Main Street Eaton, Ohio</p>
<p>Division of Drinking and Ground Waters Proposed rules on requirements for underground injection control wells Contact: Mary McCarron</p>	<p>Tuesday March 10 10:00 A.M.</p>	<p>Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio</p>
<p>Fairport Harbor Dredging 401 Potential water quality impacts Lake County News Release</p>	<p>Tuesday March 10 6:00 P.M.</p>	<p>Fairport Harbor Public Library 335 Vine Street Fairport Harbor, Ohio</p>
<p>Combined 401s: Schaffner seawall and pier West tower and pier and Panuto Seawall and pier Potential water quality impacts Lorain County News Release</p>	<p>Thursday March 12 6:30 P.M.</p>	<p>Avon Lake Public Library 32649 Electric Blvd Avon Lake, Ohio</p>
<p>Ohio Department of Transportation 401 Water Quality Certification Potential impacts to wetlands and streams Holmes County Contact: Caroline Markworth</p>	<p>Thursday March 19 6:30 P.M.</p>	<p>Killbuck Township Community Room 340 North Main Street Killbuck Township, Ohio</p>

<p>Ashtabula Harbor Dredging 401 Water Quality Certification Potential water quality impacts Ashtabula County Contact: Caroline Markworth</p>	<p>Tuesday March 24 6:30 P.M.</p>	<p>Chamber of Commerce 4536 Main Avenue Ashtabula, Ohio</p>
<p>OVEC Kyger Creek Plant Landfill New residual waste landfill Gallia County Public Hearing Only News Release</p>	<p>Wednesday March 25 6:30 P.M.</p>	<p>River Valley High School Cafeteria 1428 Little Kyger Road Cheshire, Ohio</p>
<p>BASF Catalyst Draft air permit Lorain County Contact: Caroline Markworth</p>	<p>Wednesday March 25 6:30 P.M.</p>	<p>Elyria Public Library West River Branch 1194 West River Road North Elyria, Ohio</p>
<p>Village of Roseville 401 Water Quality Certification Potential water quality impacts from constructing a raw drinking water well Perry and Muskingum Counties Contact: Jed Thorp</p>	<p>Tuesday March 31 6:00 P.M.</p>	<p>Roseville Community Center 13047 Karl Brown Road Roseville, Ohio</p>

April 2009

<p>Southington Schools Sewer Line Extention Potential Water Quality Impacts Trumbull County Contact: Caroline Markworth</p>	<p>Monday April 6 6:30 P.M.</p>	<p>Southington Christian Church 3285 State Route 534 Southington, Ohio</p>
<p>Lorain Harbor Dredging 401 Water Quality Certification Potential water quality impacts Lorain County Contact: Caroline Markworth</p>	<p>Tuesday April 7 6:30 P.M.</p>	<p>Lorain Public Library 351 Sixth Street Lorain, Ohio</p>
<p>Vista View Development Water Quality Certification Potential Water Quality Impacts Hamilton County Contact: Erika Wiggins</p>	<p>Thursday April 16 6:30 P.M.</p>	<p>Miami Township Hall 112 South Miami Avenue Cleves, Ohio</p>
<p>Maumee River WWTP Discharge permit hearing Potential Water Quality Impacts Lucas County Contact: Darla Peelle</p>	<p>Thursday April 16 6:30 P.M.</p>	<p>Waterville Council Chambers 25 North Second Street Waterville, Ohio</p>

Cooper Power Systems Facility Groundwater Pump and Treatment Discharge permit and PTI hearing Potential Water Quality Impacts Muskingum County Contact: Jed Thorp	Monday April 20 6:00 P.M.	John McIntire Library 220 North Fifth Street Zanesville, Ohio
---	---------------------------------	---

Press Releases

- **February 24, 2009--Public Meeting Scheduled Regarding Fairport Harbor Dredging Project**
- **February 25, 2009--Ohio EPA Approves Investigation, Cleanup for American Laundry Machinery Site**
- **February 27, 2009--Public Meeting Scheduled Regarding Three Proposed Lake Erie Shoreline Projects**
- **February 27, 2009--Ohio EPA Orders Ashland Business to Address Drinking Water Issues**
- **February 27, 2009--Ohio EPA Settles with Lake County Company for Hazardous Waste Violations**

AUGLAIZE COUNTY:

FINAL ISSUANCE OF FINDINGS AND ORDERS

PN CROWN EQUIPMENT CORPORATION
 2657 SOUTHLAND ROAD
 NEW BREMEN, OH OH ACTION DATE : 02/26/2009
 RECEIVING WATERS: DISPOSAL SYSTEM
 FACILITY DESCRIPTION: WASTEWATER
 IDENTIFICATION NO. : CROWN
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
 TO ERAC. FINDINGS AND ORDERS.

FINAL ISSUANCE OF MODIFICATION TO NPDES PERMIT CONDITIONS

PN SAINT MARYS STP *
 550 N HICKORY ST
 ST MARYS OH ACTION DATE : 03/01/2009
 RECEIVING WATERS: ST. MARYS RIVER
 FACILITY DESCRIPTION: MUNICIPALITY
 IDENTIFICATION NO. : 2PD00026*QD
 THIS ACTION WAS PRECEDED BY A PROPOSED ACTION.

CHAMPAIGN COUNTY:

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN CEDAR BOG NATURE PRESERVE EDUC CTR PWS
 1982 VELMA AVE
 COLUMBUS OH ACTION DATE : 02/23/2009
 IDENTIFICATION NO. : 678593
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
 TO ERAC. DETAIL PLANS FOR PWSID:OH1136712 PLAN NO:678593
 REGARDINGCEDAR BOG EDUCATION CENTER

CLARK COUNTY:

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN CARMICHAEL MACHINE CORP
 5573 W NATIONAL ROAD
 SPRINGFIELD OH ACTION DATE : 02/24/2009
 FACILITY DESCRIPTION: NON-TRANS WATER SYSTEM
 IDENTIFICATION NO. : 704790
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
 TO ERAC. DETAIL PLANS FOR PWSID:OH1230412 PLAN NO:704790
 REGARDINGHAULED WATER SYSTEM

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN STAKER ALLOYS
1075 JAMES STREET
SPRINGFIELD OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104369
FIRST ISSUE PTIO (RENEWAL) REPLACING PTI 08-04779 FOR EMISSIONS UNIT
P001 - SECONDARY ALUMINUM SWEAT FURNACE

DARKE COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL
PN VILLAGE OF VERSAILLES
300 GRAND AVENUE
WAYNE TWP. OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 665873
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. VERSAILLES WASTEWATER TREATMENT PLANT EXPANSION & UPGRADE
AT 300 GRAND AVENUE

APPLICATION RECEIVED FOR AIR PERMIT

PN ANDERSONS MARATHON ETHANOL LLC
5278 SEBRING WARNER RD
GREENVILLE OH ACTION DATE : 02/25/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037063
ADMINISTRATIVE MODIFICATION FOR B001, B002, P006 AND P007

GREENE COUNTY:

FINAL ISSUANCE OF CERTIFICATION
PN ROCKIES EXPRESS PIPELINE LLC
500 DALLAS STREET, SUITE 500
HOUSTON, TX 77002 OH ACTION DATE : 02/24/2009
RECEIVING WATERS: MULTIPLE RECEIVING WATERS
FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 073227/073228-3
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. GRANT OF SECTION 401 WATER QUALITY CERTIFICATION AND
ISOLATED WETLANDS PERMIT FOR A PROJECT TO CONSTRUCT A 194 MILE
42-INCH DIAMETER HIGH PRESSURE NATURAL GAS PIPELINE.

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN SURFACE RECOVERY TECHNOLOGIES, LLC
833 ZAPATA DR
FAIRBORN OH ACTION DATE : 02/25/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104477
BURNOFF OVEN WITH AFTERBURNER ALREADY INSTALLED AND OPERATING PTI
08-04865 ISSUED 08/07/2007

APPLICATION RECEIVED FOR AIR PERMIT

PN TWIST, INC.
1430-1380 LAVELLE DR.
XENIA OH ACTION DATE : 02/18/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037065
THE PUPOSE OF THIS APPLICATION IS TO UPDATE THE CHEMICALS USED IN
THE PROCESS.

MADISON COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL

PN THE SUBURBANS MOBILE, LTD

8565 SMITH CALHOUN ROAD

CANAAN TWP.

OH ACTION DATE : 02/24/2009

FACILITY DESCRIPTION: WASTEWATER

IDENTIFICATION NO. : 654962

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. ULTRAVIOLET DISINFECTION SYSTEM FOR THE SUBURBANS MOBILE HOME PARK WASTEWATER TREATMENT PLANT AT 8565 SMITH CALHOUN ROAD

MERCER COUNTY:

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN ROCKFORD VILLAGE PWS

PO BOX 282

ROCKFORD

OH ACTION DATE : 02/23/2009

FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM

IDENTIFICATION NO. : 672698

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. DETAIL PLANS FOR PWSID:OH5401112 PLAN NO:672698 REGARDINGWELL 2 & WELL 3 MODIFICATIONS

MIAMI COUNTY:

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN PIQUA MATERIALS INC./PIQUA MINERALS DIVI

1750 WEST STATLER ROAD

PIQUA

OH ACTION DATE : 02/26/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : P0092502

PTIO RENEWAL FOR LIMESTONE CLASSIFIER WITH CYLONE AND BAGHOUSE

PN

PIQUA MATERIALS INC./PIQUA MINERALS DIVI

1750 WEST STATLER ROAD

PIQUA

OH ACTION DATE : 02/26/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : P0092505

PTIO RENEWAL FOR 600 TONS PER HOUR AGGREGATE PROCESSING PLANT, SCREENS AND MATERIAL TRANSFER POINTS.

PN

PIQUA MATERIALS INC./PIQUA MINERALS DIVI

1750 WEST STATLER ROAD

PIQUA

OH ACTION DATE : 02/26/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : P0104271

RENEWAL PTIO FOR BRADLEY MILLS NO. 1 (EMISSIONS UNIT P004) AND NO. 2 (EMISSIONS UNIT P001) (LIMESTONE PULVERIZERS)

PN

PIQUA MATERIALS INC./PIQUA MINERALS DIVI

1750 WEST STATLER ROAD

PIQUA

OH ACTION DATE : 02/26/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : P0092504

PTIO RENEWAL FOR SECONDARY CRUSHER, 350 TONS PER HOUR VERTICAL IMPACT CRUSHER WITH WATER SPRAYS

PN

PIQUA MATERIALS INC./PIQUA MINERALS DIVI

1750 WEST STATLER ROAD

PIQUA

OH ACTION DATE : 02/26/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : P0092503

PTIO RENEWAL FOR PRIMARY IMPACT CRUSHER WITH WATER SPRAY CONTROL.

DRAFT OAC CHAPTER 3745-31 MODIFICATION OF PERMIT-TO-INSTALL AND OPERATE

NPN **HOBART BROTHERS CO III**

8585 INDUSTRY PARK DRIVE

PIQUA

OH ACTION DATE : 02/24/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : P0104071

CHRIS KORLESKI, DIRECTOR OF THE OHIO ENVIRONMENTAL PROTECTION AGENCY, 50 WEST TOWN STREET, COLUMBUS OHIO HAS ISSUED A DRAFT ACTION OF AN AIR POLLUTION CONTROL, FEDERALLY ENFORCEABLE PERMIT-TO-INSTALL AND OPERATE (PTIO) FOR THE FACILITY AT THE LOCATION IDENTIFIED ABOVE ON THE DATE INDICATED. COMMENTS CONCERNING THIS DRAFT ACTION, OR A REQUEST FOR A PUBLIC MEETING, MUST BE SENT IN WRITING NO LATER THAN THIRTY (30) DAYS FROM THE DATE THIS NOTICE IS PUBLISHED. ALL COMMENTS, QUESTIONS, REQUESTS FOR PERMIT APPLICATIONS OR OTHER PERTINENT DOCUMENTATION, AND CORRESPONDENCE CONCERNING THIS ACTION MUST BE DIRECTED TO ANDREW WEISMAN AT REGIONAL AIR POLLUTION CONTROL AGENCY, 117 SOUTH MAIN STREET OR (937)225-4435. THE PERMIT CAN BE DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

MONTGOMERY COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL

PN MILLER PIPELINE, INC.
11990 PETERS PIKE
BUTLER TWP. OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 701716
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. MILLER PIPELINE SHOP ADDITION HOLDING TANK AT 11990 PETERS PIKE

PN MONTGOMERY COUNTY BOARD OF COUNTY COMMISSIONERS
4000 SINGING HILLS BLVD
DAYTON OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 702432
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. SANITARY SEWER FOR STONESPRING TRANSITIONAL CARE CENTER AT 4000 SINGING HILLS BOULEVARD

FINAL ISSUANCE OF REGISTRATION CERTIFICATE AS A GENERATOR OF INFECTIOUS WASTE

PN BETHANY LUTHERAN VILLAGE
6451 FAR HILLS AVE
DAYTON OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: INFECTIOUS WASTE
IDENTIFICATION NO. : 57-G-00367
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN: SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049, TEL: (614)644-2621. RENEWAL CERTIFICATE

APPLICATION RENEWAL FOR NPDES PERMIT

NPN ANCHOR FABRICATORS INC *
386 TALMADGE RD
CLAYTON OH ACTION DATE : 02/27/2009
RECEIVING WATERS: NORTH BRANCH WOLF CREEK
FACILITY DESCRIPTION: NPDES PERMIT RENEWAL
IDENTIFICATION NO. : 1IC00025*ED

NPN ANCHOR FABRICATORS INC *
386 TALMADGE RD
CLAYTON OH ACTION DATE : 02/27/2009

RECEIVING WATERS: NORTH BRANCH OF WOLF CREEK
FACILITY DESCRIPTION: METAL FINISHING
IDENTIFICATION NO. : 1IC00025*FD

DRAFT NPDES PERMIT RENEWAL - SUBJECT TO REVISION

PN APS MATERIALS INC *
153 WALBROOK AVE
DAYTON OH ACTION DATE : 03/02/2009
RECEIVING WATERS: STILLWATER RIVER
FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 1IN00216*CD

DRAFT PERMIT TO INSTALL - SUBJECT TO REVISION

PN DAYTON INTERNATIONAL AIRPORT/CITY OF DAYTON
3600 TERMINAL LANE
VANDALIA, OH 45377 OH ACTION DATE : 03/11/2009
RECEIVING WATERS: MILL CREEK
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 651112
ANTIDEGRADATION PROJECT AS DEFINED BY OAC 3745-1-05 - AN EXCLUSION
OR WAIVER IS APPLICABLE. REQUESTS TO BE ON THE INTERESTED PARTIES
MAILING LIST SHOULD BE SUBMITTED WITHIN 30 DAYS TO OHIO EPA-DIVISION
OF SURFACE WATER, ATTENTION: PERMITS PROCESSING UNIT, 50 WEST TOWN
STREET, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049.

PN DAYTON INTERNATIONAL AIRPORT/CITY OF DAYTON
3600 TERMINAL DRIVE
VANDALIA, OH 45377 OH ACTION DATE : 03/11/2009
RECEIVING WATERS: MILL CREEK
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 659830
ANTIDEGRADATION PROJECT AS DEFINED BY OAC 3745-1-05 - AN EXCLUSION
OR WAIVER IS APPLICABLE. REQUESTS TO BE ON THE INTERESTED PARTIES
MAILING LIST SHOULD BE SUBMITTED WITHIN 30 DAYS TO OHIO EPA-DIVISION
OF SURFACE WATER, ATTENTION: PERMITS PROCESSING UNIT, 50 WEST TOWN
STREET, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049.

AUTHORIZATION FOR THE TEMPORARY SHUTDOWN OF CERTAIN AIR POLLUTION
CONTROL EQUIPMENT PURSUANT TO OAC RULE 3745-15-06(A) (3)

PN CARGILL, INC.
3201 NEEDMORE RD, PO BOX 1400A
DAYTON, OH 45413-8001 OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : 022309PR266
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. REQUEST TO ALLOW FOR CONTINUED OPERATION OF EMISSIONS UNIT
P581 (FX PROCESS HCI FUME CONTROL) WHILE PERFORMING SCHEDULED
MAINTENANCE ON THE ASSOCIATED SCRUBBER WHICH CONTROLS EMISSIONS OF
HYDROCHLORIC ACID AT THE CARGILL, INC. FACILITY (ID #08-57-04-1124)
LOCATED AT 3201 NEEDMORE ROAD, IN DAYTON, OHIO, MONTGOMERY COUNTY

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN VALLEY ASPHALT - WALLS PHILLIPSBURG
9843 SR 49
PHILLIPSBURG OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0103840
P902 - 400 TPH PORTABLE DRUM MIX PARALLEL FLOW ASPHALT PLANT

FINAL ISSUANCE OF OAC CHAPTER 3745-31 MODIFICATION TO
PERMIT-TO-INSTALL AND OPERATE

PN THREE BOND INTERNATIONAL, INC.
101 DARUMA PKWY

MORaine OH ACTION DATE : 02/23/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : P0104101

THE PURPOSE OF THIS APPLICATION IS TO REQUEST AUTHORIZATION FOR THE INSTALLATION OF FOUR (4) NEW DIP COATING TANKS, TWO (2) NEW ROTARY COATERS AND ONE (1) NEW AUTOMATED COATER. IN ADDITION, THE EIGHT (8) EXISTING COATING OPERATIONS (K001 - K008) ARE BEING MODIFIED TO CREATE ONE NEW FACILITY WIDE HAP AND VOC SYNTHETIC MINOR EMISSION CAP TO AVOID MAJOR SOURCE STATUS. NOTE THAT THERE ARE NO PHYSICAL MODIFICATIONS PLANNED FOR K001 - K008

APPLICATION RECEIVED FOR AIR PERMIT

PN KETTERING MEDICAL CENTER

3535 SOUTHERN BLVD

KETTERING

OH ACTION DATE : 02/09/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : A0037051

CHAPTER 31 MODIFICATION OF TWO EXISTING NATURAL AND DIESEL FIRED BOILERS WITH HEAT INPUT CAPACITIES OF 24 MMBTU EACH AND NEW INSTALLATION OF A NEW 25 MMBTU NATURAL GAS AND OIL FIRE BOILER WITH HEAT INPUT CAPACITY OF 25 MMBTU.

PREBLE COUNTY:

APPLICATION RENEWAL FOR NPDES PERMIT

NPN PREBLE CO SANITARY DIST NO 3 WWTP

10031 STATE RTE 503

WEST ELKTON

OH ACTION DATE : 02/27/2009

RECEIVING WATERS: UNNAMED TRIBUTARY OF ELK CREEK

FACILITY DESCRIPTION: MUNICIPALITY

IDENTIFICATION NO. : 1PL00005*BD

SHELBY COUNTY: NOTHING THIS WEEK.

UNION COUNTY: NOTHING THIS WEEK.